



www.robinsonsgreenhouses.co.uk



#### Introduction to Robinsons

For over 75 years, amateur and professional growers alike have recognised Robinsons as being at the very forefront of the greenhouse world. Renowned for their strength, precision engineering and practical features, Robinsons greenhouses are still the benchmark against which other greenhouses are measured. If you want the best in your garden, then keep reading!

#### History

Started in 1947, the company has moved around over the years including spells at Winchester, Southampton and Southam. Now based in Staffordshire, a nice central location for nationwide distribution.







#### Still made in Britain today

All Robinsons greenhouses are made in our factory in Staffordshire. The aluminium raw material is also extruded in the UK.









#### The Robinsons Victorian

This Robinsons Victorian range offers you a choice of greenhouses with a distinctive Victorian style.

The addition of cast aluminium spandrels at both eaves and ridge strengthens the greenhouse considerably and the extra height created by the more traditional 45 degree pitch to the roof gives more air in the greenhouse as well as more room for specimen plants. The 45 degree roof pitch is also said to be better for light transmission.

#### Features of the Victorian ranges

- Extra wide guttering with Victorian styling.
- Cast aluminium spandrels increase stength and improve the Victorian look.
- Hinged door with wide access, lock and low threshold.
- Choice of glass to ground or low wall models.
- 45 degree pitch of roof gives extra height, better atmosphere and more light transmission as well as Victorian feel.
- Louvre side vents included as standard.
- Extra strong box section ridge bar for rigidity.
- Increased number of automatic roof vents.























# **Contemporary Colours**Stunning range of colours

#### Contemporary Colours (aluminium colour capping)

These five Robinsons colours are finished with an Aluminium capping system that is less prone to fading in the sun than PVC capping - particularly on darker shades.



**Old Cottage Green** - Blend in with your garden with this pleasant green, like the windows from an old English cottage.



**Pastel Sage** - A pale stone colour with a greenish hint.



**Ivory** - This ivory colour is popular on Victorian models, the off-white shade adds a subtle antique effect.




**Anthracite** - Popular in the window industry, anthracite is a sophisticated and modern shade of dark grey.



**Light Bronze** - A metallic stone colour.

FREE colour sample plates - ask your agent for a sample.







Pastel Sage







Light Bronze

# Robinsons Here's why it's worth investing in a Robinsons Victorian



### **Special adaptations**

There are a number of relatively easy modifications that can be made to a Robinsons Victorian greenhouse which will help you if you are needing a slightly more bespoke greenhouse:

## R-Type modification

This is where we remove the rear gable end of your greenhouse so that it can join onto an existing wall or building.

This allows you to create a completely different type of lean-to greenhouse.

When ordering an R-Type, the price of the greenhouse itself can be reduced by deducting £50 per foot of width.

The Ratcliffe model shown in the photo is an 8ft wide greenhouse meaning the price would be reduced by £400 for this modification.

## **Z-Type modification**

With this modification you are able to specify the height of the wall you want the full height greenhouse to sit on i.e. 5'6" eaves height - plus your wall. This gives you the opportunity to fit the greenhouse over an existing doorway for instance.

The brick wall must be built to an official special base plan provided by us.

The most common heights customers choose are 150mm, 300mm, 450mm and 600mm as a course of bricks is usually 75mm. We then modify the door end of the greenhouse so that the door drops down to ground level and adjust the glass above the door.

The cost of the Z-Type modification is £300 per doorway.







# V-Type modification

This modification is becoming increasingly popular as it allows for one side of your Victorian greenhouse to be removed and a valley gutter assembly is attached so that it can join onto an existing wall.

Victorian style brackets are also supplied to support the valley gutter inside the greenhouse.

Some minor onsite fabrications are required and information is provided on how to do this. Please ensure that the wall is straight and strong enough to support part of the greenhouse.

A special dimensions drawing will be provided by us for this type of modification.



Valley gutter assembly interior with supporting Victorian style brackets

## Fitting service

These modifications can easily be made in the factory, but there are no special instructions written, so its usually best to engage an experienced Robinsons greenhouse fitter to do these jobs. Please discuss this with your local expert.













# **Robinsons Repton** 6'6"Wide (1972mm)

√ High Eaves √ Toughened glass √ Bar capping √ Guttering & Downpipes
√ Auto-vents √ Ground level door threshold

#### **Specification**

- High eaves (5'6") for more space
- Extremely strong 'Box Section' glazing bars
- Toughened safety glass & screw in bar capping as standard
- Locking hinged door with low level threshold
- Integral gutter with downpipes
- Automatic roof vents, and louvre side vents (man)
- 10 year framework Guarantee



Nominal base length Actual base length (B)	6'7" 2012mm	8'8" 2632mm	10'8" 3252mm	12'8" 3872mm	14'8" 4492mm	16'9" 5112mm	Extension 8'1" 2480mm
lo of roof vents	Two	Two	Four	Four	Four	Four	Two
arge pane toughened safety glass	✓	✓	✓	✓	✓	✓	✓
lo of louvre side vents	Two	Two	Two	Two	Two	Four	Two
reenhouse Price	£4499	£4999	£5499	£5999	£6499	£6999	£2000
slat (11") Shelf one side	£180	£240	£300	£360	£420	£480	£240
slat (18") Staging one side	£360	£480	£600	£720	£840	£960	£480
Victorian Cresting including Finials Cast aluminium)	£390	£470	£550	£630	£710	£790	£320

Note all prices shown are the net discounted prices incl VAT at 20%.

#### **Dimensions**

A = 1972mm [6'6"]

B = See table

C = 1692mm (5'6") D = 2736 mm (9')

> E = 818mm (32") F = 1979mm (6'6")





Extra roof vents including auto opener £149

Louvre side vents £199


Hanging basket brackets (10) £29











Anthracite

Rugby Low Wall 6'6"Wide (1972mm)

The low wall version of the Repton is called the Rugby. You would need to build a 525mm height low wall (to the official plan) for this greenhouse to sit on. The price and measurements are the same as the Repton glass to ground model.













# Robinsons Raynham 7'6"Wide (2302mm)

√ High Eaves √ Toughened glass √ Bar capping √ Guttering & Downpipes
√ Auto-vents √ Ground level door threshold


#### **Specification**

- High eaves (5'6") for more space
- Extremely strong 'Box Section' glazing bars
- Toughened safety glass & screw in bar capping as standard

£1185

- Locking hinged door with low level threshold
- 10 year framework Guarantee
- Traditional porch design
- Automatic roof vents, and louvre side vents (man)
- 10 year framework Guarantee





£1025

Extra roof vents including auto opener £149

Hanging basket brackets (10) £29

Louvre side vents £199

Extra door £799

Note all prices shown are the net discounted prices incl VAT at 20%.

Victorian Cresting including Finials £705

#### **Dimensions**

(Cast aluminium)

- A = See table
- B = 2302mm (7'6")

Nominal base length

Greenhouse Price

3 slat (11") Shelf along back

7 slat (25") Staging along back

- C = 1692mm (5'6")
- D = 2763 mm (9')E = 818mm (2'8")
- F = 1979mm (6'5")
- G = 1972mm (6'5")
- H = 1972mm (6'5") J = 2,763 mm (9')









Auto-louvre £45





£320

£720

£1680

£1345





Old Cottage Green Pastel Sage



Anthracite Light Bronze



The low wall version of the Raynham is called the Ranby. You would need to build a 525mm height low wall (to the official plan) for this greenhouse to sit on. The price and sizes are the same as the Raynham glass to ground model.













# **Robinsons Ratcliffe** 8'7"Wide (2602mm)

✓ High Eaves ✓ Toughened glass ✓ Bar capping ✓ Guttering & Downpipes ✓ Auto-vents ✓ Ground level door threshold

12'8"

3872mm

£8749

2632mm

£7249

- High eaves (5'6") for more space
- Extremely strong 'Box Section' glazing bars
- Toughened safety glass & screw in bar capping as standard
- Locking hinged door with low level threshold
- Integral gutter with downpipes
- Automatic roof vents, and louvre side vents (man)

3252mm

• 10 year framework Guarantee



14'8"

4492mm

£9499



£1110

Pastet	IVOLA	Anthracite	Ligi
Sage			Bron

16'9" 5112mm	18'9" 5732mm	20'10" 6352mm	22'10" 6984mm	24'10" <b>7</b> 592mm	Extension 8 2480 mm
Four	Six	Six	Six	Six	Two
✓	✓	✓	✓	✓	✓
Four	Four	Four	Six	Six	Two
£10249	£10999	£11749	£12499	£13249	£3000

Note all prices shown are the net discounted prices incl VAT at 20%.

#### **Dimensions**

(Cast aluminium)

Nominal base length

Actual base length (B)

'No of louvre side vents

3 slat (11") Shelf one side 7 slat (25") Staging one side Victorian Cresting including Finials

Greenhouse Price

Large pane toughened safety glass

No of roof vents

A = 2606mm [8'7"]

B = See table

C = 1692mm (5'6") D = 3078mm (10'1")

E = 818mm (32")





2012mm

Extra roof vents including auto opener £149

Louvre side vents £199

Hanging basket brackets (10) £29

Internal partition with door £1999





# 8'7"Wide (2602mm) The low wall version of the Ratcliffe is called the Rushmoor. You would need to build a 525mm height low wall (to the official plan) for this greenhouse to sit on. The price and measurements are the same as the Ratcliffe glass to ground model.




Rushmoor Low Wall







# Ratcliffe & Rushmoor









# **Robinsons Radley** 9'7"Wide (2935mm)

✓ High Eaves ✓ Toughened glass ✓ Bar capping ✓ Guttering & Downpipes
✓ Auto-vents ✓ Ground level door threshold

- High eaves (5'6") for more space
- Extremely strong 'Box Section' glazing bars
- Toughened safety glass & screw in bar capping as standard
- Locking hinged door with low level threshold
- 10 year framework Guarantee
- Traditional porch design
- Automatic roof vents, and louvre side vents (man)

Extra roof vents including auto opener £149

Hanging basket brackets (10) £29

Internal partition with door £1999

Louvre side vents £199

Extra door £799

• 10 year framework Guarantee



Nominal base length Actual base length (A)	8'8" 2632mm	12'8" 3872mm	16'9" 5112mm	20'10" 6352mm	24'10" 7592mm	Extension 8'1" 2480mm
No of roof vents (of which; one in porch)	Two	Five	Five	Seven	Eight	Two
arge pane toughened safety glass	✓	✓	✓	✓	✓	✓
No of louvre side vents	Two	Two	Four	Four	Six	Two
Greenhouse Price	£9999	£11499	£12999	£14499	£15999	£3000
slat (11") Shelf along back	£240	£360	£480	£600	£720	£240
7 slat (25") Staging along back	£560	£840	£1120	£1400	£1680	£560
Victorian Cresting including Finials (Cast aluminium)	£780	£940	£1100	£1260	£1420	£320

Note all prices shown are the net discounted prices incl VAT at 20%.

#### **Dimensions**

- A = See table
- B = 2935mm (9'7")
- C = 1692mm (5'6")
- D = 3078mm (10'1") E = 818mm (32")
- F = 1979mm [6'6"]
- G = 1972mm (6'6") H = 2606mm (8'7")
- J = 2736mm (9')



















Old Cottage Green Pastel Sage



Anthracite



The low wall version of the Radley is called the Rushby. You would need to build a 525mm height low wall (to the official plan) for this greenhouse to sit on. The price and sizes are the same as the Radley glass to ground model.















# Robinsons Roydon 9'7"Wide (2929mm)

√ High Eaves √ Toughened glass √ Bar capping √ Guttering & Downpipes
√ Auto-vents √ Ground level door threshold

#### **Specification**

- High eaves (5'6") for more space
- Extremely strong 'Box Section' glazing bars
- Toughened safety glass & screw in bar capping as standard
- Locking hinged door with low level threshold
- Integral gutter with downpipes
- Automatic roof vents, and louvre side vents (man)
- 10 year framework Guarantee







Iominal base length actual base length (B)	6'7" 2012mm	8'7" 2632mm	10'8" 3252mm	12'8" 3872mm	14'8" 4492mm	16'9" 5112mm	18'9" 5732mm	20'10" 6352mm	22'10" 6984mm	24'10" 7592mm	Extension 8'1 2480 mm
No of roof vents	Two	Two	Three	Four	Four	Four	Five	Six	Six	Six	Two
arge pane toughened safety glass	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
No of louvre side vents	One	One	Two	Two	Two	Two	Three	Three	Three	Three	Two
Greenhouse Price	£7499	£8499	£9499	£10499	£11499	£12499	£13499	£14499	£15499	£16499	£4000
slat (11") Shelf one side 'slat (25") Staging one side 0 slat (35") Staging one side	£180 £420 £615	£240 £560 £820	£300 £700 £1025	£360 £840 £1230	£420 £980 £1435	£480 £1120 £1640	£540 £1260 £1845	£600 £1400 £2050	£660 £1540 £2255	£720 £1680 £2460	£240 £560 £820

Note all prices shown are the net discounted prices incl VAT at 20%.

Strong Frame with box section glazing bars Low level door threshold

Victorian Cresting including Finials

#### **Dimensions**

A = 2929 mm (9'7'')

B = See table

C = 1692mm (5'6") D = 3545mm (11'7")

E = 818mm (32")





Extra roof vents including auto opener £149

Louvre side vents £199

Hanging basket brackets (10) £29

Screw-in PVC bar capping system

Extra door £799





















# Robinsons Reigate 11'7"Wide (3536mm)

✓ High Eaves
 ✓ Toughened glass
 ✓ Bar capping
 ✓ Guttering & Downpipes
 ✓ Auto-vents
 ✓ Ground level door threshold

- High eaves (5'6") for more space
- Extremely strong 'Box Section' glazing bars
- Toughened safety glass & screw in bar capping as standard
- Locking hinged door with low level threshold
- Integral gutter with downpipes
- Automatic roof vents, and louvre side vents (man)
- 10 year framework Guarantee







Nominal base length Actual base length (B)	6'7" 2012mm	8'7" 2632mm	10'8" 3252mm	12'8" 3872mm	14'8" 4492mm	16'9" 5112mm	18'9" 5732mm	20'10" 6352mm	22'10" 6984mm	24'10" <b>7</b> 592mm	Extension 8'1" 2480 mm
No of roof vents	Two	Two	Four	Four	Four	Four	Six	Six	Six	Six	Two
Large pane toughened safety glass	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
'No of louvre side vents	Two	Two	Two	Two	Four	Four	Four	Four	Six	Six	Two
Greenhouse Price	£7499	£8499	£9499	£10499	£11499	£12499	£13499	£14499	£15499	£16499	£4000
3 slat (11") Shelf one side 7 slat (25") Staging one side 10 slat (35") Staging one side Victorian Cresting including Finials	£180 £420 £615 £390	£240 £560 £820 £470	£300 £700 £1025 £550	£360 £840 £1230 £630	£420 £980 £1435 £710	£480 £1120 £1640 £790	£540 £1260 £1845 £870	£600 £1400 £2050 £950	£660 £1540 £2255 £1030	£720 £1680 £2460 £1110	£240 £560 £820 £320

Note all prices shown are the net discounted prices incl VAT at 20%.

#### Dimensions

A = 3536mm (11'7")

B = See table

C = 1692mm (5'6") D = 3545mm (11'7")

E = 818mm (32")









Auto-louvre £45



Strong Frame with box section glazing bars Low level door threshold





Screw-in PVC bar capping system

pair **£150** 

# Roedean Low Wall 11'7"Wide (3536mm)

The low wall version of the Reigate is called the Roedean. You would need to build a 525mm height low wall (to the official plan) for this greenhouse to sit on. The price and measurements are the same as the Reigate glass to ground model.
















# **Robinsons Rolleston** 12'8"Wide (3862mm)

√ High Eaves √ Toughened glass √ Bar capping √ Guttering & Downpipes
√ Auto-vents √ Ground level door threshold

#### **Specification**

- High eaves (5'6") for more space
- Extremely strong 'Box Section' glazing bars
- Toughened safety glass & screw in bar capping as standard
- Locking hinged door with low level threshold
- Traditional porch design
- Integral gutter with downpipes
- Automatic roof vents, and louvre side vents (man)
- 10 year framework Guarantee





Note all prices shown are the net discounted prices incl VAT at 20%.

#### **Dimensions**

- A = See table
- B = 3862mm (12'8")
- C = 1723 mm (5'7'')
- D = 3557mm (11'8")
- E = 818mm (2'8")
- F = 1988mm (6'6")
- G = 1968mm (6'5")
- H = 2929mm (9'7")
- J = 2736mm (8'11")













Low level door threshold



Extra roof vents including auto opener £149

Hanging basket brackets (10) £29

Louvre side vents £199

Extra door £799

Screw-in PVC bar capping system









Anthracite



















# **Robinsons Rochester** 13'7"Wide (4162mm)

√ High Eaves √ Toughened glass √ Bar capping √ Guttering & Downpipes
√ Auto-vents √ Ground level door threshold

#### Specification

- High eaves (5'6") for more space
- Extremely strong 'Box Section' glazing bars
- Toughened safety glass & screw in bar capping as standard
   Locking hinged door with low level threshold
- Traditional porch design
- Integral gutter with downpipes
- Automatic roof vents, and louvre side vents (man)
- 10 year framework Guarantee



Nominal base length	12'8"	20'10"	28'11"	37'1"	Extension 8'1"
Actual base length (B)	3872mm	6352mm	8832mm	11312mm	2480mm
No of roof vents Large pane toughened safety glass 'No of louvre side vents	Five / Two	Seven ✓ Two	Nine ✓ Four	Eleven Four	Two ✓ Two
Greenhouse Price	£13999	£17999	£21999	£25999	£4000
3 slat (11") Shelf one side	£360	£600	£840	£1,080	£240
7 slat (25") Staging one side	£840	£1400	£1960	£2520	£560
10 slat (35") Staging along back	£1230	£2050	£2870	£3690	£820
Victorian Cresting including Finials	£1100	£1420	£1740	£2060	£320

Note all prices shown are the net discounted prices incl VAT at 20%.

#### **Dimensions**

- A = See table
- B = 4162mm (13ft7")
- C = 1723mm (5'7")
- D = 3557mm (11'8") E = 818mm (2'8")
- F = 1988mm (6'6")
- G = 2606mm (8ft6")
- H = 2929mm (9'7") J = 3078mm (10ft1")













Extra roof vents including auto opener £149

Hanging basket brackets (10) £29

Louvre side vents £199

Extra door £799



only (4) **£300** 







Old Cottage Green Pastel Sage



Anthracite Light Bronze













# **Robinsons Rookley**


14'8"Wide (4459mm)

✓ High Eaves ✓ Toughened glass ✓ Bar capping ✓ Guttering & Downpipes ✓ Auto-vents ✓ Ground level door threshold

#### **Specification**

- High eaves (5'6") for more space
- Extremely strong 'Box Section' glazing bars
- Toughened safety glass & screw in bar capping as standard
- Locking hinged door with low level threshold
- Traditional porch design
- Integral gutter with downpipes
- Automatic roof vents, and louvre side vents (man)
- 10 year framework Guarantee





Note all prices shown are the net discounted prices incl VAT at 20%.

#### **Dimensions**

- A = See table
- B = 4459mm (14'8") C = 1692mm (5'6")
- D = 3558mm (11'8")
- E = 818mm (32")
- F = 1979mm [6'6"]
- G = 1968mm (6'5") H = 3536mm (11'7")
- J = 2736mm (9'0")













Extra roof vents including auto opener £149

Hanging basket brackets (10) £29

Internal partition with door £2199

Louvre side vents £199

Extra door £799

Screw-in PVC bar capping system

only (4) **£300** 





Old Cottage Green Pastel Sage




Anthracite



# 14'8"Wide (4459mm)

The low wall version of the Rookley is called the Ramsbury. You would need to build a 525mm height low wall (to the official plan) for this greenhouse to sit on. The price and sizes are the same as the Rookley glass to ground model.












✓ High Eaves ✓ Toughened glass ✓ Bar capping ✓ Guttering & Downpipes
✓ Auto-vents ✓ Ground level door threshold

- High eaves (5'6") for more space
- Extremely strong 'Box Section' glazing bars
- Toughened safety glass & screw in bar capping as standard
- Locking hinged door with low level threshold
- Traditional porch design
- Integral gutter with downpipes
- Automatic roof vents, and louvre side vents (man)
- 10 year framework Guarantee





Note all prices shown are the net discounted prices incl VAT at 20%.

#### **Dimensions**

- A = See table
- B = 4791mm (15'9")
- C = 1692mm (5'6")
- D = 3545mm (11'7")
- E = 818mm (32") F = 1979mm (6'6")
- G = 2602mm (8'7")
- H = 3536mm (11'7")
- J = 3078mm (10'1")









Extra door £799




Extra roof vents including auto opener £149

Hanging basket brackets (10) £29

Internal partition with door £2199

Louvre side vents £199











Old Cottage Green Pastel Sage




Anthracite

Light Bronze

Roemoor Low Wall 15'9"Wide (4791mm)

The low wall version of the Reicliffe is called the Roemoor. You would need to build a 525mm height low wall (to the official plan) for this greenhouse to sit on. The price and sizes are the same as the Reicliffe glass to ground model.



#### What sort of base should I prepare?

There are lots of choices for your base, the main principles being that the base should be firm, level and square.

The most popular option is level paving slabs as these are easy to lay, and water can drain away between the slabs. Remember that water must be able to get away, so sealed solid bases such as painted or tiled concrete can result in lying water unless drainage is built in.

Water will also be free to move in or out of the greenhouse in between the cill and the slabs - if you are growing in strict humidity controlled conditions, then you may wish to keep this to a minimum and in this instance, we recommend that you build a one brick high plinth for the greenhouse to sit on.

Your base will affect the long term strength and stability





of your greenhouse, so it is worth investing at this stage. It is vital that your greenhouse is anchored down to the base. With most models we supply L-shaped brackets and screws & rawl plugs for this purpose.

Bases such as Tarmac or block paving are not ideal as anchorage can be difficult. Note that gravel is not best friends with greenhouses either - if you really want gravel nearby choose a large size stone so that it doesn't interfere with the door. Your local distributor may be able to help you with your base.

Please note that no greenhouse is an exact size in feet they are always bigger than the nominal size - so what is called an 8x10 greenhouse would actually be nearer to  $8'6" \times 10'8"$ .

Please only prepare a base when you are in possession of the official base sizes which are only given in mm, we send these out with your order confirmation.

For Low wall models we will supply a detailed plan of the wall measurements.

#### Can you assemble the greenhouse for me?

All Robinsons greenhouses are sold on a 'self-assembly' basis, and will be delivered in kit form,

however we do recommend that you engage an experienced greenhouse fitter to assemble the greenhouse for you. Your local Agent will be able to arrange this for you.

#### **Delivery Times**

Your greenhouse will be hand made to order and delivery times vary throughout the year.

#### **Delivery Costs**

Mainland UK Free delivery, except postcodes AB, DD, IV, KW, PH and TR +£100. For off-shore, we can crate the glass and pack for onward shipment for £250. Any shortages can only be sent to mainland address.

#### Guarantee

Your Robinsons greenhouse comes with a free 10 year frame guarantee. This covers the frame and powder coating against faulty manufacture. Moving parts are guaranteed for 12 months.

Exclusions include:glazing, wind damage, Labour, and accidental damage.

#### Where can I order my greenhouse

From your local Agent - to find your nearest, please enter your postcode into the website: www.robinsonsgreenhouses.co.uk



Please note that no greenhouse is 100% waterproof, and we do not recommend that non-greenhouse items such as soft furnishings are used in a greenhouse. E&O E.

Your local agent:







