





The Malvern Collection

In the early 1970s, we started to design and produce garden buildings at our factory in Worcestershire. All of our buildings

are made to order and handcrafted using traditional carpentry techniques by skilled craftsmen, which are then delivered and installed by our own teams of experienced fitters across the country.

The Malvern Collection design and make a wide collection of buildings, from the humble shed right through to fully lined, insulated and double glazed garden rooms and offices designed for all year round use. We offer a wide selection of optional extras which enable you to create your ideal garden room to meet not only your practical needs but also your own personal taste.

Our paint spraying shop is one of the most advanced spraying and drying facilities in the garden building industry, where buildings can be coated with a highly durable and weather resistant, low maintenance paint and primer system, which will protect and enhance your building.

At Malvern, we use only the highest quality materials from sustainable sources. Our redwood buildings are constructed using kiln dried slow grown pine from Sweden's Northern sawmills and our cedar buildings are constructed using Canadian Western Red kiln dried cedar.

We strongly recommend that you visit one of our display sites where you can examine for yourself the quality, design and materials used in the manufacture of our buildings. Experienced staff will be on hand to discuss your individual requirements.



- In a converted chicken shed on a farm in Worcestershire, Pound Garden Buildings was born, making and selling sheds and summerhouses, selling through a network of agents across the country
- After 20 years of trading, the company changed its name to Midland Portable Buildings, known in the industry as MPB and the business continued to expand.
- The Company invested heavily in a new 8,000 square-foot, modern window and door production facility, using the latest woodworking machines to produce some of the highest quality doors and windows in the industry.
- "The Malvern Collection". A rebrand is undertaken, and the new trading name is established providing the foundations for our business today.
- The introduction of our "hand sprayed" buildings. Our paint spraying shop is one of the most advanced spraying and drying facilities in the garden building industry.
- Today our factory occupies a four acre site and employs 150 people, including teams of experienced installers, producing the most comprehensive range of garden buildings in the industry, displayed throughout the country on multiple established show sites.

materials & craftmanship

Handmade in our factory for over 50 years, all Malvern Collection garden buildings are made to order combining age-old techniques, time-honoured joinery practices with modern woodworking machinery.

The premium quality materials used throughout our manufacturing process will ensure enjoyment of your Malvern Collection building for years to come.

At The Malvern Collection we are passionate about making garden buildings, and proud to be manufacturing the most comprehensive collection of buildings available in the UK today, many of which are on display throughout top garden centre show sites across the country.





HOPTON







The elegant and classically designed Hopton will complement and enhance any garden setting.

This beautiful garden room remains one of our favourites, available in six different sizes to accommodate varying sizes of garden. Its octagonal design allows it to fit well into numerous positions within your outside space. The perfect garden room, to relax in on those lazy summer days and evenings.

The Cottage Range have an array of beautiful options to enhance the look, from cedar shingle roofs, EPDM rubber roofs, painted mdf or tongue & groove interior linings, laminate floorings and a comprehensive choice of different colour paint finishes. Windows and doors are fitted with plain single glazing, Georgian or square leaded style are available as optional upgrade. Black window and door furniture are fitted as standard, solid brass and chrome are available as an option. The majority have double locking doors. The Cottage range has varying quantities of opening and fixed windows dependant on size and model, additional can be added if required. Please see price list for full list of optional extras and technical information.

HOPTON



10' x 10' Hopton



6' x 6' Hopton



7'7" x 7'7" Hopton



7'7" x 7'7" Hopton



7'7" x 7'7" Hopton



7'7" x 7'7" Hopton

HOPTON

Size	Size	External Cladding		Georgian or Leaded Doors & Windows		Coloured		ng & U-Foil I	Tinted Glass		
w x d (m)	w x d (ft)	13mm Tongue & Groove Redwood	12mm Tongue & Groove Cedar	Redwood	Cedar	Painted Finish	Tongue &	& Groove	Painted MDF, Skirting & Architrave	(Plain Glass Only)	
1.83 x 1.83	6' x 6'	2,970	5,255	665	930	1,405	1,510	1,980	2,750	275	
2.57 x 1.83	8'5" x 6'	4,040	6,970	755	1,055	1,720	1,815	2,390	3,220	335	
2.31 x 2.31	7'7" x 7'7"	4,605	7,405	1,055	1,475	1,850	2,005	2,620	3,550	440	
2.57 x 2.57	8'5" x 8'5"	4,995	8,455	1,055	1,475	2,100	2,190	2,890	3,795	440	
3.05 x 3.05	10' x 10'	6,875	13,365	1,335	1,865	2,415	2,910	3,715	5,010	550	
3.66 x 3.66	12' x 12'	8,300	14,915	1,335	1,865	2,830	3,775	4,720	6,215	550	

STANDARD FEATURES

- · A wide range of sizes to choose from
- Lockable double doors on all models except the 6' x 6' Hopton which has a single door
- · Plain, single glazed windows and doors
- · Black ironmongery
- · Toughened glass


- · Polyester mineral felt in green, black or red
- · Tongue and groove timber roof and floor
- High quality timber treatment applied throughout prior to delivery (excluding pressure treated models)

- A choice of Redwood and Western Red Cedar tongue and groove cladding types
- · Georgian style windows and doors
- · Square leaded glazing
- · Tinted glass (plain glass only)
- Glass to ground glazing option to windows and doors, no cost upgrade but must be specified on the order
- Square top glazing design option to windows and doors, no cost upgrade but must be specified on the order
- · Additional windows where the building allows
- · Privacy windows where the building allows
- · Brass or chrome ironmongery

- · Tongue and groove timber lining and insulation
- Tongue and groove timber lining with a whitewash finish
- · Painted MDF lining and insulation
- Comprehensive paint system to protect and decorate available in a variety of colours
- · Laminate floor a wide selection to choose from
- · Heavy duty floor
- $\boldsymbol{\cdot}$ A set of pressure treated floor bearers
- · Pressure treated slatted roof
- · Cedar slatted roof
- · Cedar shingle roof
- · Tile Effect roof available in three colours

	Roof C	ptions						
Pressure Treated Slatted Roof		Cedar Shingle Roof	Slate Effect Tiled Roof	Heavy Duty Floor	Floor Bearers	Laminate Flooring	Engineered Oak Flooring	Installation
775	1,510	2,220	2,220	140	120	480	595	560
955	1,820	2,670	2,670	175	125	680	845	685
1,070	1,960	2,880	2,880	195	140	760	945	745
1,395	2,045	3,000	3,000	250	155	950	1,185	825
1,935	2,840	4,170	4,170	345	210	1,325	1,650	1,100
2,205	4,010	5,880	5,880	500	265	1,920	2,395	1,270

	Red	wood	Cedar		
Additional Features	Plain	Tinted	Plain	Tinted	
Plain single glazed	440	495	620	670	
Leaded or Georgian single glazed	585	-	820	-	
0.71m Privacy Window	220	245	265	300	



	HOPTON										
	External I	leight (m)	Internal H	leight (m)							
Depth (m)	Ridge	Eaves	Ridge	Eaves							
1.83 x 1.83	2.71	2.13	2.24	2.05							
2.57 x 1.83	2.71	2.13	2.24	2.05							
2.31 x 2.31	3.05	2.13	2.70	2.05							
2.57 x 2.57	3.11	2.13	2.76	2.05							
3.05 x 3.05	3.23	2.13	2.88	2.05							
3.66 x 3.66	3.40	2.13	3.05	2.05							

ASHTON





The Ashton is the picture of the traditionally designed timeless English summerhouse.

This pretty and versatile garden room can be used for many different activities, simply a room to relax and unwind, entertain and dine or even work from. The Ashton is available in fifteen different sizes.


The Ashton has a vast range of optional extras available to enhance its finished look, five different roof styles, cedar shingle tiles, felt tiles, timber slatted roofs in pressure treated redwood or cedar or the slate effect tiled roof. A range of laminate floorings, interior linings and an extensive choice of paint coloured finishes.

Windows and doors are fitted with plain single glazing as standard, Georgian or square lead style windows are available as optional upgrade. Black window and door furniture are fitted as standard solid brass and chrome are available as an option. Each model has a set of double locking doors to the front with a fixed window either side and two opening windows on each side elevation. Please see price list for full list of optional extras and technical information.

ASHTON



10' x 8' Ashton



14' x 8' Ashton



12' x 8' Ashton



16' x 8' Ashton



12' x 8' Ashton



10' x 8' Ashton

ASHTON

Size	Size	External Cladding			Georgian or Leaded Doors & Windows		Coloured	Linin			
w x d (m)	w x d (ft)	13mm Tongue & Groove Redwood	19mm Tongue & Groove Redwood	12mm Tongue & Groove Cedar	Redwood	Cedar	Painted Finish	Tongue & Groove	Tongue & Groove Whitewash	Painted MDF, Skirting & Architrave	
2.44 x 1.83	8' x 6'	4,310	5,065	8,195	1,055	1,475	1,635	1,815	2,360	3,220	
3.05 x 1.83	10' x 6'	5,055	5,890	9,460	1,195	1,665	1,850	2,130	2,745	3,685	
3.66 x 1.83	12' x 6'	5,795	6,715	10,790	1,195	1,665	2,045	2,460	3,140	4,140	
2.44 x 2.44	8' x 8'	5,155	5,970	9,650	1,055	1,475	1,895	2,190	2,820	3,795	
3.05 x 2.44	10' x 8'	6,280	7,215	11,100	1,195	1,665	2,100	2,530	3,230	4,375	
3.66 x 2.44	12' x 8'	7,125	8,160	13,255	1,195	1,665	2,315	2,840	3,610	4,915	
4.27 x 2.44	14' x 8'	7,975	9,115	14,825	1,195	1,665	2,510	3,170	4,005	5,610	
4.88 x 2.44	16' x 8'	8,645	9,875	16,390	1,195	1,665	2,705	3,510	4,410	6,015	
3.05 x 3.05	10' x 10'	7,005	8,070	13,490	1,195	1,665	2,415	2,910	3,715	5,010	
3.66 x 3.05	12' x 10'	7,945	9,110	14,895	1,195	1,665	2,575	3,255	4,115	5,550	
4.27 x 3.05	14' x 10'	8,860	10,180	16,285	1,195	1,665	2,785	3,775	4,705	6,215	
4.88 x 3.05	16' x 10'	9,805	11,205	17,640	1,195	1,665	3,000	3,945	4,945	6,805	
5.49 x 3.05	18' x 10'	10,150	11,605	18,995	1,195	1,665	3,310	4,245	5,350	7,395	
3.66 x 3.66	12' x 12'	9,390	10,735	16,925	1,195	1,665	2,830	3,775	4,720	6,215	
4.27 x 3.66	14' x 12'	10,375	11,785	18,675	1,195	1,665	3,055	3,995	5,015	6,995	
4.88 x 3.66	16' x 12'	11,350	13,050	20,425	1,195	1,665	3,310	4,430	5,535	7,630	
5.49 x 3.66	18' x 12'	12,320	14,105	22,165	1,195	1,665	3,560	4,790	5,975	8,300	
6.10 x 3.66	20' x 12'	13,075	14,970	23,910	1,195	1,665	3,845	5,145	6,425	8,920	

STANDARD FEATURES

- · A wide range of sizes to choose from
- Opening windows in each side and fixed windows either side of the double doors
- · Lockable double doors
- · Plain, single glazed windows and doors
- · Black ironmongery

- · Toughened glass
- · Polyester mineral felt in green, black or red
- · Tongue and groove timber roof and floor
- High quality timber treatment applied throughout prior to delivery (excluding pressure treatment)

- A choice of Redwood, Heavy Duty Redwood or Western Red Cedar tongue and groove cladding types
- $\boldsymbol{\cdot}$ Georgian style windows and doors
- · Square leaded glazing
- · Tinted glass (plain glass only)
- Glass to ground glazing option to windows and doors, no cost upgrade but must be specified on the order
- Square top glazing design option to windows and doors, no cost upgrade but must be specified on the order
- · Additional windows
- · Privacy style windows
- \cdot Brass or chrome ironmongery
- Bitumen felt tiles available in a choice of three colours

- · Pressure treated slatted roof
- · Cedar slatted roof
- · Cedar shingle roof
- Slate effect tiled roof available in a choice of three colours
- · Tongue and groove timber lining and insulation
- Tongue and groove timber lining with a whitewash finish
- · Painted MDF lining and insulation
- Comprehensive paint system to protect and decorate available in a variety of colours
- · Laminate floor a wide selection to choose from
- · Heavy duty floor
- · A set of pressure treated floor bearers


		Roof Options							
Bitumen Felt Tiles	Pressure Treated Slatted Roof	Cedar Slatted Roof	Cedar Shingle Roof	Slate Effect Tiled Roof	Heavy Duty Floor	Floor Bearers	Laminate Flooring	Engineered Oak Flooring	Installation
705	840	1,600	2,350	2,350	165	125	640	800	400
875	1,015	2,030	2,910	2,910	200	135	800	995	495
1,065	1,220	2,425	3,480	3,480	250	140	950	1,185	575
895	1,005	1,950	2,785	2,785	225	145	850	1,060	575
1,110	1,220	2,470	3,475	3,475	280	155	1,070	1,335	665
1,310	1,415	2,910	4,160	4,160	335	175	1,275	1,590	755
1,510	1,645	3,380	4,835	4,835	380	210	1,490	1,860	870
1,690	1,940	3,830	5,510	5,510	445	230	1,710	2,130	1,215
1,310	1,415	2,855	4,050	4,050	345	210	1,325	1,650	950
1,545	1,695	3,450	4,845	4,845	400	230	1,600	1,995	1,045
1,785	1,940	3,805	5,645	5,645	485	255	1,875	2,335	1,225
2,045	2,230	4,400	6,450	6,450	545	280	2,135	2,655	1,385
2,460	2,510	4,940	7,225	7,225	625	300	2,410	3,000	1,600
1,725	1,940	3,805	5,555	5,555	500	265	1,920	2,395	1,270
2,110	2,265	4,425	6,470	6,470	575	290	2,240	2,790	1,420
2,405	2,510	4,990	7,395	7,395	665	330	2,560	3,185	1,590
2,655	3,000	5,595	8,305	8,305	730	355	2,875	3,580	1,720
2,945	3,330	6,240	9,215	9,215	830	380	3,185	3,965	1,900

Additional Features	Red	wood	Cedar		
Additional Features	Plain	Tinted	Plain	Tinted	
Plain Single Glazed Window	440	495	620	670	
Leaded or Georgian Single Glazed Window	585	-	820	-	
0.71m (28") Privacy Window	220	245	265	300	
0.89m (35") Malvern Opening Window	165	220	230	280	
0.89m (35") Malvern Fixed Window	120	170	180	235	
0.60m Single Door Plain Single Glazed	675	785	1,035	1,135	
0.60m Single Door Leaded/Georgian Single Glazed	805	-	1,215	-	
1.22m Double Door Plain Single Glazed	1,360	1,630	1,955	2,325	
1.22m Double Door Leaded/Georgian Single Glazed	1,615	-	2,315	-	

Tinted Glass (Plain Glass Only)						
2.44m wide	415					
All other widths	485					

	Redwood	Cedar			
1.83m (6') Partition	290	680			
2.44m (8') Partition	410	940			
3.05m (10') Partition	605	1,305			
3.66m (12') Partition	770	1,640			
External Shed Door	365	545			
Internal Solid Door	420				
0.23m (9") Wide Shelf	65 per running metre				
0.38m (15") Wide Shelf	85 per running metre				
0.38m (15") Wide Workbench	85 per runi	ning metre			
0.61m (24") Wide Workbench	105 per running metre				
Composite Decking Upgrade	280 per sq metre				
Brass/Chrome Ironmongery upgrade	22	25			

	ASHTON										
	External H	leight (m)	Internal Height (m)								
Building Depth (m)	Ridge Height	Eaves Height	Ridge Height	Eaves Height							
1.83	2.74	2.17	2.41	2.05							
2.44	2.89	2.17	2.56	2.05							
3.05	3.05 3.05		2.72	2.05							
3.66	3.20	2.17	2.87	2.05							



ASTWOOD







The classically designed Astwood.

The wide range of sizes make it your ideal garden room, whether you are using it for an outside dining and entertaining room, a pool side changing room or a garden office to work from home – the options are in an abundance.


ASTWOOD



8' x 6' Astwood



B' x 8' Astwood



12' x 10' Astwood



14' x 8' Astwood

ASTW000

Size	Size	E	external Claddin	g	Georgian o Doors & V		Coloured	Lining & U-Foil Insulation			
w x d (m)	wxd (ft)	13mm Tongue & Groove Redwood	19mm Tongue & Groove Redwood	12mm Tongue & Groove Cedar	Redwood	Cedar	Painted Finish	Tongue & Groove	Tongue & Groove Whitewash	Painted MDF, Skirting & Architrave	
2.44 x 1.83	8' x 6'	3,480	4,235	6,785	1,055	1,475	1,635	1,690	2,235	2,990	
3.05 x 1.83	10' x 6'	4,015	4,845	8,020	1,195	1,665	1,850	1,985	2,600	3,430	
3.66 x 1.83	12' x 6'	4,570	5,490	9,190	1,195	1,665	2,045	2,290	2,970	3,850	
4.27 x 1.83	14' x 6'	5,155	6,190	10,355	1,195	1,665	2,285	2,540	3,300	4,305	
4.88 x 1.83	16' x 6'	5,705	6,855	11,415	1,195	1,665	2,535	2,805	3,650	4,890	
2.44 x 2.44	8' x 8'	4,170	4,995	8,640	1,055	1,475	1,895	2,035	2,665	3,530	
3.05 x 2.44	10' x 8'	4,580	5,510	9,950	1,195	1,665	2,100	2,355	3,055	4,065	
3.66 x 2.44	12' x 8'	5,075	6,120	11,115	1,195	1,665	2,315	2,635	3,405	4,570	
4.27 x 2.44	14' x 8'	5,675	6,815	12,450	1,195	1,665	2,510	2,955	3,790	5,220	
4.88 x 2.44	16' x 8'	6,260	7,570	13,385	1,195	1,665	2,705	3,265	4,165	5,595	
5.49 x 2.44	18' x 8'	6,910	8,385	14,525	1,195	1,665	2,920	3,550	4,525	6,125	
6.10 x 2.44	20' x 8'	7,485	9,065	15,660	1,195	1,665	3,145	3,840	4,890	6,650	
3.05 x 3.05	10' x 10'	5,470	6,540	11,515	1,195	1,665	2,415	2,710	3,515	4,665	
3.66 x 3.05	12' x 10'	6,095	7,255	12,375	1,195	1,665	2,575	3,025	3,885	5,160	
4.27 x 3.05	14' x 10'	6,775	8,085	13,465	1,195	1,665	2,785	3,515	4,445	5,785	
4.88 x 3.05	16' x 10'	7,260	8,655	14,420	1,195	1,665	3,000	3,675	4,675	6,330	
5.49 x 3.05	18' x 10'	7,970	9,570	15,770	1,195	1,665	3,310	3,950	5,055	6,885	
6.10 x 3.05	20' x 10'	8,525	10,240	16,780	1,195	1,665	3,560	4,190	5,375	7,260	
3.66 x 3.66	12' x 12'	6,775	8,110	13,465	1,195	1,665	2,830	3,515	4,460	5,785	
4.27 x 3.66	14' x 12'	7,380	8,790	14,610	1,195	1,665	3,055	3,720	4,740	6,505	
4.88 x 3.66	16' x 12'	8,140	9,835	15,485	1,195	1,665	3,310	4,110	5,215	7,095	
5.49 x 3.66	18' x 12'	8,880	10,665	16,375	1,195	1,665	3,560	4,460	5,645	7,720	
6.10 x 3.66	20' x 12'	9,635	11,575	17,330	1,195	1,665	3,845	4,785	6,065	8,300	

FOR HIGH PITCH VERSION - ADD 10% TO BUILDING AND ANY ADDITIONAL ROOF OPTION

STANDARD FEATURES

- · A wide range of sizes to choose from
- Opening windows in each side and fixed windows either side of the double doors
- · Lockable double doors
- · Plain, single glazed windows and doors
- · Black ironmongery

- · Toughened glass
- $\cdot\,$ Polyester mineral felt in green, black or red
- · Tongue and groove timber roof and floor
- High quality timber treatment applied throughout prior to delivery (excluding pressure treatment)

- A choice of Redwood, Heavy Duty Redwood or Western Red Cedar tongue and groove cladding types
- · Georgian style windows and doors
- · Square leaded glazing
- · Tinted glass (plain glass only)
- Glass to ground glazing option to windows and doors, no cost upgrade but must be specified on the order
- Square top glazing design option to windows and doors, no cost upgrade but must be specified on the order
- · Additional windows
- · Privacy style windows
- · Brass or chrome ironmongery
- Bitumen felt tiles available in a choice of three colours
- · Pressure treated slatted roof

- · Cedar slatted roof
- · Cedar shingle roof
- Slate effect tiled roof available in a choice of three colours
- · High pitch roof
- · Tongue and groove timber lining and insulation
- Tongue and groove timber lining with a whitewash finish
- · Painted MDF lining and insulation
- Comprehensive paint system to protect and decorate available in a variety of colours
- Internal partition walls can be added to create an additional room which can be accessed via external shed style doors and/or internal doors
- · Laminate floor a wide selection to choose from
- Heavy duty floor
- \cdot A set of pressure treated floor bearers


		Roof Options							
Bitumen Felt Tiles	Pressure Treated Slatted Roof	Cedar Slatted Roof	Cedar Shingle Roof	Slate Effect Tiled Roof	Heavy Duty Floor	Floor Bearers	Laminate Flooring	Engineered Oak Flooring	Installation
620	700	1,340	1,795	1,795	165	125	640	800	355
770	850	1,685	2,235	2,235	200	135	800	995	455
935	1,015	2,030	2,670	2,670	250	140	950	1,185	525
1,070	1,185	2,350	3,100	3,100	290	145	1,115	1,390	585
1,245	1,365	2,670	3,545	3,545	335	155	1,275	1,590	670
790	840	1,630	2,145	2,145	225	145	850	1,060	525
975	1,015	2,060	2,660	2,660	280	155	1,070	1,335	595
1,155	1,185	2,430	3,190	3,190	335	175	1,275	1,590	685
1,330	1,380	2,825	3,705	3,705	380	210	1,490	1,860	785
1,490	1,620	3,205	4,230	4,230	445	230	1,710	2,130	1,100
1,730	1,850	3,625	4,745	4,745	500	255	1,920	2,395	1,215
1,905	1,955	4,035	5,265	5,265	545	280	2,135	2,655	1,370
1,155	1,185	2,380	3,065	3,065	345	210	1,325	1,650	860
1,365	1,415	2,890	3,670	3,670	400	230	1,600	1,995	950
1,580	1,620	3,170	4,275	4,275	485	255	1,875	2,335	1,115
1,805	1,865	3,670	4,875	4,875	545	280	2,135	2,655	1,270
2,035	2,090	4,130	5,470	5,470	625	300	2,410	3,000	1,445
2,240	2,320	4,570	6,070	6,070	680	330	2,660	3,310	1,630
1,635	1,620	3,170	4,410	4,410	500	265	1,920	2,395	1,140
1,860	1,895	3,700	4,845	4,845	575	290	2,240	2,790	1,295
2,110	2,180	4,180	5,540	5,540	665	330	2,560	3,185	1,445
2,340	2,510	4,670	6,230	6,230	730	355	2,875	3,580	1,555
2,595	2,785	5,210	6,915	6,915	830	380	3,185	3,965	1,720

Additional Footures	Red	wood	Cedar		
Additional Features	Plain	Tinted	Plain	Tinted	
Plain Single Glazed Window	440	495	620	670	
Leaded or Georgian Single Glazed Window	585	-	820	-	
0.71m (28") Privacy Window	220	245	265	300	
0.89m (35") Malvern Opening Window	165	220	230	280	
0.89m (35") Malvern Fixed Window	120	170	180	235	
0.60m Single Door Plain Single Glazed	675	785	1,035	1,135	
0.60m Single Door Leaded/Georgian Single Glazed	805	-	1,215	-	
1.22m Double Door Plain Single Glazed	1,360	1,630	1,955	2,325	
1.22m Double Door Leaded/Georgian Single Glazed	1,615	-	2,315	-	

Tinted Glass (Plain Glass Only)							
2.44m wide	415						
All other widths	485						

	Redwood	Cedar		
1.83m (6') Partition	290	680		
2.44m (8') Partition	410	940		
3.05m (10') Partition	605	1,305		
3.66m (12') Partition	770	1,640		
External Shed Door	365	545		
Internal Solid Door	420			
0.23m (9") Wide Shelf	65 per running metre			
0.38m (15") Wide Shelf	85 per runi	ning metre		
0.38m (15") Wide Workbench	85 per running metre			
0.61m (24") Wide Workbench	105 per running metre			
Composite Decking Upgrade	280 per sq metre			
Brass/Chrome Ironmongery upgrade	225			

ASTWOOD										
	Ex	ternal H	leight (m)	Interna	al Heigh	t (Unlined) (m)				
Building Depth (m)	Ridge		Eaves	Ridge		Eaves				
	Low	High		Low	High					
1.83	2.33	2.51		2.20	2.37					
2.44	2.41	2.65	20/	2.29	2.51	2.02				
3.05	2.40	2.79	2.04	2.29	2.65	2.02				
3.66	2.47	2.93		2.35	2.80					



TENBURY







This classic timeless summerhouse has been designed with a more traditional character.

It can be utilised for varying activities, from a games room to entertaining guests in a dining room away from the house, doors open to allow the fresh air in. There are a wide range of sizes to choose from and to suit individual requirements. It will go on to give many years of enjoyment.

TENBURY



8' x 6' Tenbury



12' x 12' Tenbury



12' x 8' Tenbury

TENBURY

Size	Size Size	E	Georgian or Leaded Doors & Windows		Coloured	Linin					
	wxd (ft)	13mm Tongue & Groove Redwood	19mm Tongue & Groove Redwood	12mm Tongue & Groove Cedar	Redwood	Cedar	Painted Finish	Tongue & Groove	Tongue & Groove Whitewash	Painted MDF, Skirting & Architrave	
2.44 x 1.83	8' x 6'	3,545	4,265	7,335	1,055	1,475	1,635	1,690	2,235	2,990	
2.44 x 2.44	8' x 8'	4,170	4,995	8,640	1,055	1,475	1,895	2,035	2,665	3,530	
2.44 x 3.05	8' x 10'	4,580	5,510	9,950	1,055	1,475	2,100	2,355	3,055	4,065	
2.44 x 3.66	8' x 12'	5,075	6,120	11,115	1,055	1,475	2,315	2,635	3,405	4,570	
2.44 x 4.27	8' x 14'	5,675	6,815	12,450	1,055	1,475	2,510	2,955	3,790	5,220	
2.44 x 4.88	8' x 16'	6,260	7,570	13,385	1,055	1,475	2,705	3,265	4,165	5,595	
3.05 x 1.83	10' x 6'	4,330	5,155	8,955	1,195	1,665	1,850	1,985	2,600	3,430	
3.05 x 2.44	10' x 8'	4,835	5,770	10,365	1,195	1,665	2,100	2,355	3,055	4,065	
3.05 x 3.05	10' x 10'	5,470	6,540	11,515	1,195	1,665	2,415	2,710	3,515	4,665	
3.05 x 3.66	10' x 12'	6,095	7,255	12,375	1,195	1,665	2,575	3,025	3,885	5,160	
3.05 x 4.27	10' x 14'	6,775	8,085	13,465	1,195	1,665	2,785	3,515	4,445	5,785	
3.05 x 4.88	10' x 16'	7,260	8,655	14,420	1,195	1,665	3,000	3,675	4,675	6,330	
3.05 x 5.49	10' x 18'	7,970	9,570	15,770	1,195	1,665	3,310	3,950	5,055	6,885	
3.05 x 6.10	10' x 20'	8,525	10,240	16,780	1,195	1,665	3,560	4,190	5,375	7,260	
3.66 x 2.44	12' x 8'	5,380	6,425	10,945	1,195	1,665	2,315	2,635	3,405	4,570	
3.66 x 3.05	12' x 10'	6,095	7,255	12,375	1,195	1,665	2,575	3,025	3,885	5,160	
3.66 x 3.66	12' x 12'	6,775	8,110	13,465	1,195	1,665	2,830	3,515	4,460	5,785	
3.66 x 4.27	12' x 14'	7,380	8,790	14,610	1,195	1,665	3,055	3,720	4,740	6,505	
3.66 x 4.88	12' x 16'	8,140	9,835	15,485	1,195	1,665	3,310	4,110	5,215	7,095	
3.66 x 5.49	12' x 18'	8,880	10,665	16,375	1,195	1,665	3,560	4,460	5,645	7,720	
3.66 x 6.10	12' x 20'	9,635	11,575	17,330	1,195	1,665	3,845	4,785	6,065	8,300	

FOR HIGH PITCH VERSION - ADD 10% TO BUILDING AND ANY ADDITIONAL ROOF OPTION

STANDARD FEATURES

- · A wide range of sizes to choose from
- Opening windows in each side and fixed windows either side of the double doors
- · Lockable double doors
- · Plain, single glazed windows and doors
- · Black ironmongery

- Toughened glass
- · Polyester mineral felt in green, black or red
- · Tongue and groove timber roof and floor
- High quality timber treatment applied throughout prior to delivery (excluding pressure treatment)

- A choice of Redwood, Heavy Duty Redwood or Western Red Cedar tongue and groove cladding types
- · Georgian style windows and doors
- · Square leaded glazing
- · Tinted glass (plain glass only)
- Glass to ground glazing option to windows and doors, no cost upgrade but must be specified on the order
- Square top glazing design option to windows and doors, no cost upgrade but must be specified on the order
- · Additional windows
- · Privacy style windows
- · Brass or chrome ironmongery
- Bitumen felt tiles available in a choice of three colours
- · Pressure treated slatted roof

- · Cedar slatted roof
- · Cedar shingle roof
- Slate effect tiled roof available in a choice of three colours
- · High pitch roof
- · Tongue and groove timber lining and insulation
- Tongue and groove timber lining with a whitewash finish
- · Painted MDF lining and insulation
- Comprehensive paint system to protect and decorate available in a variety of colours
- Internal partition walls can be added to create an additional room which can be accessed via external shed style doors and/or internal doors
- · Laminate floor a wide selection to choose from
- Heavy duty floor
- · A set of pressure treated floor bearers

Roof Options									
Bitumen Felt Tiles	Pressure Treated Slatted Roof	Cedar Slatted Roof	Cedar Shingle Roof	Slate Effect Tiled Roof	Heavy Duty Floor	Floor Bearers	Laminate Flooring	Engineered Oak Flooring	Installation
600	700	1,340	1,795	1,795	165	125	640	770	355
790	840	1,630	2,145	2,145	225	145	850	1,020	525
975	1,015	2,060	2,660	2,660	280	155	1,070	1,285	595
1,155	1,185	2,430	3,190	3,190	335	175	1,275	1,530	685
1,330	1,380	2,825	3,705	3,705	380	210	1,490	1,790	785
1,490	1,620	3,205	4,230	4,230	445	230	1,710	2,050	1,100
725	850	1,685	2,205	2,205	200	150	800	960	455
940	1,015	2,060	2,660	2,660	280	180	1,070	1,285	595
1,155	1,185	2,380	3,065	3,065	345	210	1,325	1,590	860
1,365	1,415	2,890	3,670	3,670	400	230	1,600	1,920	950
1,580	1,620	3,170	4,275	4,275	485	255	1,875	2,250	1,115
1,805	1,865	3,670	4,875	4,875	545	280	2,135	2,560	1,270
2,035	2,090	4,130	5,470	5,470	625	300	2,410	2,890	1,445
2,240	2,320	4,570	6,070	6,070	680	330	2,660	3,190	1,630
1,150	1,185	2,430	3,130	3,130	335	190	1,275	1,530	685
1,375	1,415	2,890	3,640	3,640	400	230	1,600	1,920	950
1,635	1,620	3,170	4,410	4,410	500	265	1,920	2,305	1,140
1,860	1,895	3,700	4,845	4,845	575	290	2,240	2,690	1,295
2,110	2,180	4,180	5,540	5,540	665	330	2,560	3,070	1,445
2,340	2,510	4,670	6,230	6,230	730	355	2,875	3,450	1,555
2,595	2,785	5,210	6,915	6,915	830	380	3,185	3,820	1,720

Additional Factories	Red	wood	Cedar		
Additional Features	Plain	Tinted	Plain	Tinted	
Plain Single Glazed Window	440	495	620	670	
Leaded or Georgian Single Glazed Window	585	-	820	-	
0.71m (28") Privacy Window	220	245	265	300	
0.89m (35") Malvern Opening Window	165	220	230	280	
0.89m (35") Malvern Fixed Window	120	170	180	235	
0.60m Single Door Plain Single Glazed	675	785	1,035	1,135	
0.60m Single Door Leaded/Georgian Single Glazed	805	-	1,215	-	
1.22m Double Door Plain Single Glazed	1,360	1,630	1,955	2,325	
1.22m Double Door Leaded/Georgian Single Glazed	1,615	-	2,315	-	


Tinted Glass (Plain Glass Only)								
2.44m wide	415							
All other widths	485							

	Redwood	Cedar
2.44m (8') Partition	410	940
3.05m (10') Partition	605	1,305
3.66m (12') Partition	770	1,640
External Shed Door	365	545

Internal Solid Door

Internal Solia Bool	120
0.23m (9") Wide Shelf	65 per running metre
0.38m (15") Wide Shelf	85 per running metre
0.38m (15") Wide Workbench	85 per running metre
0.61m (24") Wide Workbench	105 per running metre
Composite Decking Upgrade	280 per sq metre
Brass/Chrome Ironmongery upgrade	225

TENBURY										
	Exte	rnal Heig	ht (m)	Internal H	leight (Unl	ined) (m)				
Building Depth (m)	Ridge		Eaves	Ric	Eaves					
	Low	High		Low	High					
2.44	2.41	2.65		2.29	2.51					
3.05	2.40	2.79	2.04	2.29	2.65	2.02				
3.66	2.47	2.93		2.35	2.80					



STRETTON



10' x 8' Stretton



16' x 6' Stretton

Our enchanting Stretton garden room.

This diverse and multifunctional garden room could be used for a wide range of uses, whether that is purely relaxing in your garden or enjoying the company of friends over a glass or two of wine on those long and dusky summer evenings.

STRETTON



8' x 6' Stretton





8' x 6' Stretton



8' x 6' Stretton

STRETTON

Size	Size		External Cladding			Georgian or Leaded Doors & Windows		Lini			
wxd (m)	wxd (ft)	13mm Tongue & Groove Redwood	19mm Tongue & Groove Redwood	12mm Tongue & Groove Cedar	Redwood	Cedar	Painted Finish	Tongue & Groove	Tongue & Groove Whitewash	Painted MDF, Skirting & Architrave	
2.44 x 1.83	8' x 6'	3,480	4,235	6,785	1,055	1,475	1,635	1,690	2,235	2,990	
3.05 x 1.83	10' x 6'	4,015	4,845	8,020	1,195	1,665	1,850	1,985	2,600	3,430	
3.66 x 1.83	12' x 6'	4,570	5,490	9,190	1,195	1,665	2,045	2,290	2,970	3,850	
4.27 x 1.83	14' x 6'	5,155	6,190	10,355	1,195	1,665	2,285	2,540	3,300	4,305	
4.88 x 1.83	16' x 6'	5,705	6,855	11,415	1,195	1,665	2,535	2,805	3,650	4,890	
2.44 x 2.44	8' x 8'	4,170	4,995	8,640	1,055	1,475	1,895	2,035	2,665	3,530	
3.05 x 2.44	10' x 8'	4,580	5,510	9,950	1,195	1,665	2,100	2,355	3,055	4,065	
3.66 x 2.44	12' x 8'	5,075	6,120	11,115	1,195	1,665	2,315	2,635	3,405	4,570	
4.27 x 2.44	14' x 8'	5,675	6,815	12,450	1,195	1,665	2,510	2,955	3,790	5,220	
4.88 x 2.44	16' x 8'	6,260	7,570	13,385	1,195	1,665	2,705	3,265	4,165	5,595	
5.49 x 2.44	18' x 8'	6,910	8,385	14,525	1,195	1,665	2,920	3,550	4,525	6,125	
6.10 x 2.44	20' x 8'	7,485	9,065	15,660	1,195	1,665	3,145	3,840	4,890	6,650	
3.05 x 3.05	10' x 10'	5,470	6,540	11,515	1,195	1,665	2,415	2,710	3,515	4,665	
3.66 x 3.05	12' x 10'	6,095	7,255	12,375	1,195	1,665	2,575	3,025	3,885	5,160	
4.27 x 3.05	14' x 10'	6,775	8,085	13,465	1,195	1,665	2,785	3,515	4,445	5,785	
4.88 x 3.05	16' x 10'	7,260	8,655	14,420	1,195	1,665	3,000	3,675	4,675	6,330	
5.49 x 3.05	18' x 10'	7,970	9,570	15,770	1,195	1,665	3,310	3,950	5,055	6,885	
6.10 x 3.05	20' x 10'	8,525	10,240	16,780	1,195	1,665	3,560	4,190	5,375	7,260	

FOR HIGH PITCH VERSION - ADD 10% TO BUILDING AND ANY ADDITIONAL ROOF OPTION

STANDARD FEATURES

- · A wide range of sizes to choose from
- Opening windows in each side and fixed windows either side of the double doors
- · Lockable double doors
- · Plain, single glazed windows and doors
- · Black ironmongery

- · Toughened glass
- · Polyester mineral felt in green, black or red
- · Tongue and groove timber roof and floor
- High quality timber treatment applied throughout prior to delivery (excluding pressure treatment)

- A choice of Redwood, Heavy Duty Redwood or Western Red Cedar tongue and groove cladding types
- $\boldsymbol{\cdot}$ Georgian style windows and doors
- · Square leaded glazing
- · Tinted glass (plain glass only)
- Glass to ground glazing option to windows and doors, no cost upgrade but must be specified on the order
- Square top glazing design option to windows and doors, no cost upgrade but must be specified on the order
- · Additional windows
- · Privacy style windows

- · Brass or chrome ironmongery
- · EPDM rubber roof
- · Tongue and groove timber lining and insulation
- Tongue and groove timber lining with a whitewash finish
- · Painted MDF lining and insulation
- Comprehensive paint system to protect and decorate available in a variety of colours
- Internal partition walls can be added to create an additional room which can be accessed via external shed style doors and/or internal doors
- · Laminate floor a wide selection to choose from
- · Heavy duty floor
- · A set of pressure treated floor bearers

Tinted Class (Dlain	EDDM Dubb					
Tinted Glass (Plain Glass Only)	EPDM Rubber Roof	Heavy Duty Floor	Floor Bearers	Laminate Flooring	Engineered Oak Flooring	Installation
415	375	165	125	640	800	355
485	460	200	135	800	995	455
485	545	250	140	950	1,185	525
485	645	290	145	1,115	1,390	585
485	735	335	155	1,275	1,590	670
415	495	225	145	850	1,060	525
485	620	280	155	1,070	1,335	595
485	735	335	175	1,275	1,590	685
485	855	380	210	1,490	1,860	785
485	985	445	230	1,710	2,130	1,100
485	1,100	500	255	1,920	2,395	1,215
485	1,225	545	280	2,135	2,655	1,370
485	770	345	210	1,325	1,650	860
485	925	400	230	1,600	1,995	950
485	1,075	485	255	1,875	2,335	1,115
485	1,225	545	280	2,135	2,655	1,270
485	1,385	625	300	2,410	3,000	1,445
485	1,540	680	330	2,660	3,310	1,630

Additional Features	Redwood		Cedar	
Additional Features	Plain	Tinted	Plain	Tinted
Plain Single Glazed Window	440	495	620	670
Leaded or Georgian Single Glazed Window	585	-	820	-
0.71m (28") Privacy Window	220	245	265	300
0.89m (35") Malvern Opening Window	165	220	230	280
0.89m (35") Malvern Fixed Window	120	170	180	235
0.60m Single Door Plain Single Glazed	675	785	1,035	1,135
0.60m Single Door Leaded/Georgian Single Glazed	805	-	1,215	-
1.22m Double Door Plain Single Glazed	1,360	1,630	1,955	2,325
1.22m Double Door Leaded/Georgian Single Glazed	1,615	-	2,315	-

Tinted Glass (Plain Glass Only)								
2.44m wide	415							
All other widths	485							

n (35") Malvern Fixed Window	120	170	180	235	Internal Solid Door	420
n Single Door Plain Single Glazed	675	785	1,035	1,135		
n Single Door Leaded/Georgian Single Glazed	805	-	1,215	-	0.23m (9") Wide Shelf	65 per running metre
Double Door Plain Single Glazed	1,360	1,630	1,955	2,325	0.38m (15") Wide Shelf	85 per running metre
Double Door Leaded/Georgian Single Glazed	1,615	-	2,315	-	0.38m (15") Wide Workbench	85 per running metre
					0.61m (24") Wide Workbench	105 per running metre

1.83m (6') Partition

2.44m (8') Partition


3.05m (10') Partition

External Shed Door

Composite Decking Upgrade

Brass/Chrome Ironmongery upgrade

STRETTON								
	External H	leight (m)	Internal Height (m)					
Building Depth (m)	Front	Rear	Front	Rear				
1.83	2.26	2.09	2.06	1.91				
2.44	2.26	2.09	2.06	1.91				
3.05	2.28	2.09	2.06	1.91				



Redwood

290

410

605

365

280 per sq metre

225

Cedar

680

940

1,305

545

CLIFTON



 $8' \times 8'$ Clifton

This attractive corner garden room which has been especially designed to fit into that quiet, peaceful and sunny corner in your garden. The Clifton will fill an awkward corner space providing a focal point, will provide the ideal place to sit and enjoy uninterrupted views of your garden.

HARWOOD



8' x 8' Harwood

The attractive quaint garden room is ideal to fit in a sunny area in your garden where height is also a factor to consider. While having all the practical use of a Cottage style garden room, it will complete a corner of the garden perfectly providing a functional, multipurpose, useable space all year round.

CLIFTON



8' x 8' Clifton

HARWOOD



7' x 7' Harwood




8' x 8' Harwood

CLIFTON & HARWOOD

CLIFTON

Size	Size	External Cladding			Georgian or Leaded Doors & Windows		Coloured	Linin			
wxd (m)	wxd (ft)	13mm Tongue & Groove Redwood	19mm Tongue & Groove Redwood	12mm Tongue & Groove Cedar	Redwood	Cedar	Painted Finish	Tongue & Groove	Tongue & Groove Whitewash	Painted MDF, Skirting & Architrave	
2.44 x 2.44	8' x 8'	4,975	5,790	7,735	765	1,070	1,895	2,035	2,665	3,795	
2.74 x 2.74	9' x 9'	6,220	7,155	10,870	765	1,070	2,130	2,355	3,065	4,400	
3.05 x 3.05	10' x 10'	6,910	7,970	12,450	765	1,070	2,415	2,710	3,515	5,010	
3.35 x 3.35	11' x 11'	7,805	9,010	14,070	765	1,070	2,625	3,115	3,990	5,610	
3.66 x 3.66	12' x 12'	9,130	10,475	16,270	765	1,070	2,830	3,515	4,460	6,215	


		CLIFTON						
External Height (m) Internal Height (m)								
Depth (m)	Ridge	Eaves	Ridge	Eaves				
2.44	2.89	2.17	2.56	2.05				
2.74	2.97	2.17	2.64	2.05				
3.05	3.05	2.17	2.72	2.05				
3.35	3.13	2.17	2.80	2.05				
3.66	3.20	2.17	2.87	2.05				



HARWOOD

Size	Size	E	Georgian or Leaded Doors & Windows		Coloured	Linin					
wxd (m)	wxd (ft)	13mm Tongue & Groove Redwood	19mm Tongue & Groove Redwood	12mm Tongue & Groove Cedar	Redwood	Cedar	Painted Finish	Tongue &	Tongue & Groove Whitewash	Painted MDF, Skirting & Architrave	
2.13 x 2.13	7' x 7'	3,480	4,085	6,475	505	705	1,645	1,735	2,285	3,010	
2.44 x 2.44	8' x 8'	3,855	4,545	7,260	765	1,070	1,895	2,035	2,665	3,530	
2.74 x 2.74	9' x 9'	4,490	5,335	8,115	765	1,070	2,130	2,355	3,065	4,080	
3.05 x 3.05	10' x 10'	5,140	6,120	9,165	765	1,070	2,415	2,710	3,515	4,665	

		HARWOOD					
External Height (m) Internal Height (m)							
Depth (m)	Front	Rear	Front	Rear			
2.13	2.26	2.09	2.02	1.88			
2.44	2.26	2.09	2.02	1.88			
2.74	2.28	2.09	2.02	1.88			
3.05	2.28	2.09	2.02	1.88			



STANDARD FEATURES

- $\cdot\,$ A wide range of sizes to choose from
- Opening windows in each side and fixed windows either side of the double doors
- · Lockable double doors
- · Plain, single glazed windows and doors
- · Black ironmongery

- · Toughened glass
- \cdot Polyester mineral felt in green, black or red
- $\boldsymbol{\cdot}$ Tongue and groove timber roof and floor
- · High quality timber treatment applied throughout prior to delivery (excluding pressure treatment)

Tinted Glass		R	oof Option	s						
(Plain Glass Only)	Bitumen Felt Tiles	Pressure Treated Slatted Roof	Cedar Slatted Roof	Cedar Shingle Roof	Slate Effect Tiled Roof	Heavy Duty Floor	Floor Bearers	Laminate Flooring	Engineered Oak Flooring	Installation
335	895	1,005	1,950	2,785	2,785	225	140	850	1,060	670
335	1,110	1,220	2,425	3,450	3,450	280	170	1,080	1,345	745
335	1,310	1,415	2,855	4,050	4,050	345	210	1,325	1,650	950
335	1,525	1,690	3,355	4,840	4,840	420	235	1,620	2,020	1,040
335	1,725	1,940	3,805	5,555	5,555	500	265	1,920	2,395	1,115

Additional Shed Extension		13mm Tongue & 0	Groove Redwood	19mm Tongue & 0	Groove Redwood	12mm Tongue & Groove Cedar		
		0.99m Wide	1.22m Wide 0.99m Wide		1.22m Wide	0.99m Wide	1.22m Wide	
2.44m	8'	1,955	2,395	2,345	2,870	3,325	4,070	
2.74m	9'	2,210	2,715	2,650	3,260	3,760	4,615	
3.05m	10'	2,450	3,005	2,940	3,605	4,170	5,125	
3.35m	11'	2,705	3,315	3,245	3,980	4,600	5,645	
3.66m	12'	2,945	3,625	3,525	4,350	5,005	6,155	

			Floor	Options		
Tinted Glass (Plain Glass Only)	EPDM Rubber Roof	Heavy Duty Floor	Floor Bearers	Laminate Flooring	Engineered Oak Flooring	Installation
225	380	175	135	645	805	405
335	495	225	140	850	1,060	525
335	625	280	170	1,080	1,345	670
335	770	345	200	1,325	1,650	860

Additional Postures	Red	wood	Cedar		
Additional Features	Plain	Tinted	Plain	Tinted	
Plain single glazed	440	495	620	670	
Leaded or Georgian single glazed	585	-	820	-	
0.71m Privacy Window	220	245	265	300	

OPTIONS

- A choice of Redwood, Heavy Duty Redwood or Western Red Cedar tongue and groove cladding types
- · Georgian style windows and doors
- · Square leaded glazing
- · Tinted glass (plain glass only)
- · Glass to ground glazing option to windows and doors, no cost upgrade but must be specified on the order
- Square top glazing design option to windows and doors, no cost upgrade but must be specified on the order
- · Additional windows where the building allows
- · Privacy windows where the building allows
- · Brass or chrome ironmongery
- · Tongue and groove timber lining and insulation
- · Tongue and groove timber lining with a whitewash finish

- · Painted MDF lining and insulation
- Comprehensive paint system to protect and decorate available in a variety of colours
- · Laminate floor a wide selection to choose from
- · Heavy duty floor
- · A set of pressure treated floor bearers
- Bitumen felt tiles available in a choice of three colours -Clifton only
- · Pressure treated slatted roof Clifton only
- · Cedar slatted roof Clifton only
- · Cedar shingle roof Clifton only
- · Tile-effect roof available in three colours Clifton only
- · Additional shed extension Clifton only
- · EPDM rubber roof Harwood only

HARBURY







12' x 10' Hanbury Apex



"EXCELLENT SERVICE"

Excellent service - turned up on time and erected our summerhouse with no problem at all and were very friendly and professional.

WRITTEN BY NIKKIRAM ON 10/01/2024



"SUMMER HOUSE AND POTTING SHED"

We have just had a summer house and potting shed installed. We are delighted! The quality of the buildings is excellent and the team that assembled them were great. We needed a low pitch roof on the summer house and that was all OK with The Malvern Collection. They met our spec easily and were flexible with installation date to work around our builders. Very happy - would highly recommend and we may return for a greenhouse!

Thank you very much!

WRITTEN BY ANDY951 ON 19/12/2023



16' x 10' Hanbury Hipped



12' x 10' Hanbury Apex

HANBURY


STANDARD FEATURES


- · Under 2.5m at ridge (Apex only)
- · Pressure treated timber throughout
- Attractive balustrade and spindles around perimeter
- · Polyester mineral felt in green, black or red
- · A wide range of sizes to choose from

OPTIONS

- Choice of front or side entrance or additional entrances
- Coloured painted finish available in a wide selection of colours
- · Optional fully or half boarded panels
- · 22mm fitted decked floor

- · Bitumen felt tiles a choice of three colours
- · Pressure treated slatted roof
- · Cedar slatted roof
- · Cedar Shingle roof
- Slate effect tiled roof available in a choice of three colours





	HANBURY HIPPED									
	External H	leight (m)	Internal Height (m)							
Building Depth (m)	Ridge Height	Eaves Height	Ridge Height	Eaves Height						
1.83	2.68	2.11	2.41	2.06						
2.44	2.83	2.11	2.56	2.06						
3.05	2.99	2.11	2.72	2.06						
3.66 3.14 2.11 2.87 2.06										
	Add 0.06m with optional floor									

	HANBURY APEX										
	External H	leight (m)	Internal Height (m)								
Building Depth (m)	Ridge Height	Eaves Height	Ridge Height	Eaves Height							
1.83	2.27	2.00	2.14	1.98							
2.44	2.35	2.00	2.22	1.98							
3.05	2.43	2.00	2.30	1.98							
3.66	2.41	2.00	2.29	1.98							
Add 0.06m with optional floor											

RIDGE

HANBURY HIPPED

					Ro	of Option	S			
Size w x d (m)	Size w x d (ft)	Pressure Treated	Coloured Painted Finish	Bitumen Felt Tiles	Pressure Treated Slatted Roof	Cedar Slatted Roof	Cedar Shingle Roof	Slate Effect Tiled Roof	Optional Floor	Installation
2.44 x 1.83	8' x 6'	2,655	1,635	705	840	1,600	2,160	2,160	345	330
3.05 x 1.83	10' x 6'	3,080	1,850	875	1,015	2,030	2,675	2,675	425	400
3.66 x 1.83	12' x 6'	3,470	2,045	1,065	1,220	2,425	3,195	3,195	505	455
2.44 x 2.44	8' x 8'	3,235	1,895	895	1,005	1,950	2,560	2,560	450	410
3.05 x 2.44	10' x 8'	3,705	2,100	1,110	1,220	2,470	3,190	3,190	565	480
3.66 x 2.44	12' x 8'	4,190	2,315	1,310	1,415	2,910	3,820	3,820	700	540
3.05 x 3.05	10' x 10'	4,515	2,415	1,310	1,415	2,855	3,715	3,715	700	560
3.66 x 3.05	12' x 10'	4,950	2,575	1,545	1,695	3,450	4,450	4,450	885	645
4.27 x 3.05	14' x 10'	5,345	2,785	1,785	1,940	3,805	5,180	5,180	1,035	735
4.88 x 3.05	16' x 10'	5,640	3,000	2,045	2,230	4,400	5,915	5,915	1,185	805
3.66 x 3.66	12' x 12'	5,410	2,830	1,725	1,940	3,805	5,095	5,095	1,075	735
4.27 x 3.66	14' x 12'	5,875	3,055	2,110	2,265	4,425	5,935	5,935	1,265	825
4.88 x 3.66	16' x 12'	6,320	3,310	2,405	2,510	4,990	6,785	6,785	1,445	910

HANBURY APEX

					Ro	of Options	5			
Size w x d (m)	Size w x d (ft)	Pressure Treated	Coloured Painted Finish	Bitumen Felt Tiles	Pressure Treated Slatted Roof	Cedar Slatted Roof	Cedar Shingle Roof	Slate Effect Tiled Roof	Optional Floor	Installation
2.44 x 1.83	8' x 6'	2,325	1,635	620	700	1,340	1,795	1,795	345	285
3.05 x 1.83	10' x 6'	2,685	1,850	770	850	1,685	2,235	2,235	425	325
3.66 x 1.83	12' x 6'	3,040	2,045	935	1,015	2,030	2,670	2,670	505	385
2.44 x 2.44	8' x 8'	2,825	1,895	790	840	1,630	2,145	2,145	450	330
3.05 x 2.44	10' x 8'	3,245	2,100	975	1,015	2,060	2,660	2,660	565	400
3.66 x 2.44	12' x 8'	3,575	2,315	1,155	1,185	2,430	3,190	3,190	700	455
3.05 x 3.05	10' x 10'	3,730	2,415	1,155	1,185	2,380	3,065	3,065	700	465
3.66 x 3.05	12' x 10'	3,995	2,575	1,365	1,415	2,890	3,670	3,670	885	525
4.27 x 3.05	14' x 10'	4,325	2,785	1,580	1,620	3,170	4,275	4,275	1,035	575
4.88 x 3.05	16' x 10'	4,650	3,000	1,805	1,865	3,670	4,875	4,875	1,185	645
3.66 x 3.66	12' x 12'	4,430	2,830	1,635	1,620	3,170	4,410	4,410	1,075	585
4.27 x 3.66	14' x 12'	4,715	3,055	1,860	1,895	3,700	4,845	4,845	1,265	665
4.88 x 3.66	16' x 12'	5,115	3,310	2,110	2,180	4,180	5,540	5,540	1,445	735

HANBURY OPTIONS		
Half Boarded Panels	55 per running metre	
Fully Boarded Panels	110 per running metre	

GLOSSARY OF TERMS

COLOURED PAINTED FINISH

A comprehensive paint system is applied prior to the building leaving the factory. The paint system comprises of an initial undercoat and a further top coat of your chosen colour.

PAINTED MDF LINING AND INSULATION

Building is internally lined with foil back bubble insulation and covered with a painted MDF moisture resistant tongue and groove board. Available in White, Soft White, Vintage White, Smoke White and Honey Dew

TONGUE & GROOVE LINING AND INSULATION

Building is internally lined with foil back bubble insulation and covered with redwood tongue and groove matchboard.

WHITEWASHED TONGUE & GROOVE LINING

As above but all the roofs, walls and floor have a translucent whitewashed coating applied.

BITUMEN FELT TILES

Roof is covered with tile effect heavy duty felt tiles.

SLATTED ROOF

An aesthetic roof made with featheredged pressure treated redwood or Western Red cedar boards to enhance the appearance of your building and provide added protection to the roofing felt beneath.

CEDAR SHINGLE ROOF

Western Red cedar shingles fixed roof tile which emulates the appearance of natural slates and has a long life span with no maintenance.

SLATE EFFECT ROOF TILE

Slate effect roof tile is a synthetic roof tile which emulates the appearance of natural slates and has a long life span with no maintenance.

EPDM RUBBER ROOF

A maintenance free synthetic rubber membrane covering the roof as an alternative to roofing felt.

GUTTERING

Guttering is available in a choice of three colours.

LEADED WINDOWS AND DOORS

Square leaded windows and doors as an optional upgrade.

GEORGIAN WINDOWS AND DOORS

Windows and doors with half jointed Georgian style crossbars.

TINTED GLASS (PLAIN GLASS ONLY)

All glazing has one side with an anti-sun tint applied to the unit.

LAMINATE

Premium hard wearing laminate flooring with a wide range of styles to choose from.

ENGINEERED OAK FLOORING

Engineered wood flooring is constructed in a way that it provides better stability and resistance to variations in temperature and moisture. It looks like solid wood flooring as the top layer is real solid wood, but it then has a plywood base construction underneath.

BRASS OR CHROME IRONMONGERY

Upgrade all ironmongery for either solid brass or chrome to suit.

A SET OF FLOOR BEARERS

Floor Bearers are 45 x 45mm (2" x 2") pressure treated lengths of timber which run in an opposite direction to the floor joists making a crisscross formation, allowing air circulation and ventilation to your garden building, taking away direct contact from the base and helps prevent damp from attacking the timbers.

DOOR OPENINGS (W X H)		
Hopton Single Door	600mm x 1829mm	
All other Double Doors	1130mm x 1829mm	
Internal Matchboard Door	890mm x 1770mm	
Internal Solid Pine Door	760mm x 1980mm	
Internal Matchboard Door	890mm x 1770mm	
Internal Solid Pine Door	760mm x 1980mm	

WALL THICKNESS	
Redwood Cladding	13mm
Cedar Cladding	12mm
Heavy Duty Redwood	19mm
Heavy Duty Pressure Treated Redwood	19mm
Framing	57mm
Hopton Framing	44mm
MDF Lining	9mm
Tounge and Groove Lining	12mm
Skirting	12mm
Cedar Skirting	12mm

FLOOR THICKNESS		
Standard Floor	13mm	
Heavy Duty Floor	19mm	
Pressure Treated Joists	45mm	



All of our Cottage Range of Summerhouses come with a comprehensive guarantee from a company that has been manufacturing and installing buildings for over 50 years.

Our buildings have a 10 year structural guarantee which includes rot and decay. All other workmanship and materials are guaranteed for a minimum of 2 years. Full details are provided in our guarantee guidelines available on request. Glass is only guaranteed for a period of three days from the date of delivery.

Our recommendations are that all timber garden structures require ongoing maintenance following installation. Cedar, redwood & pressure treated redwood require annual timber treatment to be applied, ideally prior to the colder wetter months for added protection. We recommend all spray painted buildings are maintained on an annual basis, inspect the painted areas on the building, checking for any areas where the paint finish maybe starting to deteriorate over time, peeling or flaking and repaint where necessary. A full guide of maintenance guidelines are available on request.

All base work is the responsibility of the customer, as is the safe securing of the building once installed, excluding cedar victorian. We require a level solid base, either paving slabs, decking or concrete upon which to install your building. In the event of a base failure, it is the customers responsibility to accept delivery of the building, safely and store appropriately.

Please allow as much room as possible around the building for our fitters to work during installation, a minimum of 450mm. If this is not possible please contact the office to discuss.

Our installers will need clear access to carry building sections from the vehicle to your prepared base, with no height restrictions or tight, sharp corners to negotiate.

Our installers cannot lift sections over 1.22m in height or over buildings such as garages. If the only access is through the house, a straight run is required and many sections will not pass through doorways. Please advise us in advance if there are any difficulties regarding access.

Always make allowance for any roof overhang when buildings have to go into confined spaces.

All redwood and cedar garden rooms have redwood roofs and floors. Cedar buildings have cedar windows, doors and external cladding only i.e. they have redwood framing, floors, roofs and open areas. All pressure treated sheds are pressure treated throughout.

Ironmongery is black as standard, brass and chrome are available as an optional upgrade.

All building dimensions shown in this brochure are approximate, based on floor sizes.

All timber used in the construction of our buildings originates from sustainable forests.

As it is our policy to continually improve products, methods and materials, we reserve the right to change specifications from time to time, we will not make any significant variations without your agreement.

*All images and descriptions are for illustration purposes only and are not always standard specification.

All building sizes are approximate and for guidelines only. All timber measurements, if stated, are finished sizes only i.e. after machining. Please note that finished sizes can vary by plus or minus 1mm.

We strongly advise that you visit one of our showrooms to view the range of buildings and finishes.

FLOORING OPTIONS

Engineered Oak Flooring









Laminate Flooring

















Canyon Light





Old Oak Grey

Ragnar Light Sand

Patina Classic Oak

PAINT & FINISH OPTIONS



The swatches are for illustration purposes only as the printing process may not allow an accurate colour representation of paint and stain based finishes. We advise when selecting a final colour choice to request a painted timber sample prior to doing so or to visit your local showroom.

^{*}Please note painted MDF colour options are only available in these colours.

ligita Showsite










Visit one of our showsites to explore a range of **premium garden buildings** and **luxury retreats.**

SHOWSITES NATIONWIDE





Other ranges in our collection



Sheds, Workshops, Potting Sheds & Greenhouses



Garden Studios



Garden Rooms & Offices

QUALITY GARDEN ROOMS & BUILDINGS

Manufactured and installed by The Malvern Collection Ltd.

All prices are in (£) Pound Sterling and include VAT and delivery to mainland England, Wales and Scotland* up to the Caledonian Canal.
*Restrictions may apply.