



Sheds, Workshops, Potting Sheds & Greenhouses

 the
malvern
collection

HANDMADE IN WORCESTERSHIRE FOR OVER 50 YEARS

Contents

The Malvern Collection	3
Over 50 Years of History	4
Materials & Craftsmanship	5
Heavy Duty Reverse Apex	6
Heavy Duty Apex	14
Heavy Duty Pent	20
Heavy Duty Combination	26
Heavy Duty Corner	32
Potting Shed	36
Victorian Greenhouse	40
Bewdley	44
Glossary	49
Important Points to Note	50
Paint & Finish Options	51



Welcome to

The Malvern Collection

In the early 1970s, we started to design and produce garden buildings at our factory in Worcestershire. All of our buildings are made to order and handcrafted using traditional carpentry techniques by skilled craftsmen, which are then delivered and installed by our own teams of experienced fitters across the country.

The Malvern Collection design and make a wide collection of buildings, from the humble shed right through to fully lined, insulated and double glazed garden rooms and offices designed for all year round use. We offer a wide selection of optional extras which enable you to create your ideal garden room to meet not only your practical needs but also your own personal taste.

Our paint spraying shop is one of the most advanced spraying and drying facilities in the garden building industry, where buildings can be coated with a highly durable and weather resistant, low maintenance paint and primer system, which will protect and enhance your building.

At Malvern, we use only the highest quality materials from sustainable sources. Our redwood buildings are constructed using kiln dried slow grown pine from Sweden's northern sawmills and our cedar buildings are constructed using Canadian Western Red kiln dried cedar.

We strongly recommend that you visit one of our display sites where you can examine for yourself the quality, design and materials used in the manufacture of our buildings. Experienced staff will be on hand to discuss your individual requirements.

Over 50 years of history

1972 In a converted chicken shed on a farm in Worcestershire, Pound Garden Buildings was born, making and selling sheds and summerhouses, selling through a network of agents across the country

1994 After 20 years of trading, the company changed its name to Midland Portable Buildings, known in the industry as MPB and the business continued to expand.

1998 The Company invested heavily in a new 8,000 square-foot, modern window and door production facility, using the latest woodworking machines to produce some of the highest quality doors and windows in the industry.

2002 "The Malvern Collection". A rebrand is undertaken, and the new trading name is established providing the foundations for our business today.

2004 The introduction of our "hand sprayed" buildings. Our paint spraying shop is one of the most advanced spraying and drying facilities in the garden building industry.

2026 Today our factory occupies a four acre site and employs 150 people, including teams of experienced installers, producing the most comprehensive range of garden buildings in the industry, displayed throughout the country on multiple established show sites.

Experts in

materials & craftsmanship

Handmade in our factory for over 50 years, all Malvern Collection garden buildings are made to order combining age-old techniques, time-honoured joinery practices with modern woodworking machinery.

The premium quality materials used throughout our manufacturing process will ensure enjoyment of your Malvern Collection building for years to come.

At The Malvern Collection we are passionate about making garden buildings, and proud to be manufacturing the most comprehensive collection of buildings available in the UK today, many of which are on display at top garden centre show sites across the country.



SHEDS

MALVERN **HEAVY DUTY REVERSE APEX**





14' x 8' Malvern Heavy Duty Reverse Apex

At Malvern we take sheds very seriously, producing the most versatile and comprehensive range of sheds and options available today.

The Malvern Heavy Duty shed has been designed and built to the highest of standards, using only quality materials. A shed which has been built to last a lifetime!

Constructed using heavy duty framing and bracing, our sheds are robust, sturdy and structurally very strong. All our Malvern Heavy Duty sheds have a tongue and groove heavy duty floor, machined out of 25mm timber boards, fitted as standard.

Our Malvern sheds have a choice of external claddings, which include redwood, pressure treated redwood, thermowood and cedar (see glossary page 49).

Malvern Heavy Duty sheds come with an unprecedented choice of eight different roof finishes, from heavy duty polyester mineral felt through to cedar shingles.

The construction of our Malvern sheds is completed by handmade fully framed, ledged and braced doors, each door then being hung with three heavy duty hinges. A three lever mortice lock is fitted as standard.

Joinery made lockable windows are fitted to our Malvern Heavy Duty sheds, and can be upgraded to Georgian style windows. Double glazed windows are also available as an option.

If required there is an option to fully insulate your Malvern shed and line the interior with tongue and groove redwood cladding. Finally, we can also add one of our many durable paint finishes which will enhance and personalise the look of your shed even further. All installed by our experienced team of professional fitters.

The Malvern shed, a premium range of quality, strong, elegant and attractive sheds, perfect for any garden setting.

SHEDS

MALVERN

HEAVY DUTY REVERSE APEX



12' x 10' Malvern Heavy Duty Reverse Apex



18' x 10' Malvern Heavy Duty Reverse Apex

STANDARD FEATURES

- A choice of external timber claddings, which include redwood, thermowood and cedar.
(See glossary page 48 for further information)
- All ridge heights under 2.5m
- Heavy duty framework throughout
- Additional framework for extra rigidity and strength
- Heavy duty floor
- Pressure treated floor joists
- Tongue and groove timber roof and floor
- Polyester mineral felt – available in green, black or red
- Fully framed, ledged and braced single door
- 3 lever mortice lock
- 3 heavy duty hinges per door
- Security screws in hinges
- Single glazed 4mm toughened glass
- Black or chrome ironmongery - please specify at time of order
- Joinery made fixed and lockable opening windows
- High quality timber treatment applied throughout prior to delivery (excluding pressure treated)
- A wide range of sizes to choose from

OPTIONS

- Coloured painted finish – wide selection of colours
(see page 51)
- Black highlights – window frames and fascias painted black, no cost upgrade but must be specified on the order
- Tongue and groove timber lining plus insulation
- Internal partition walls
- Higher pitch roof
- Bitumen mineral roof felt tiles, available in green, red or black
- Polyester coated profile steel roof - a choice of six colours available
- Onduline roof
- Pressure treated slatted roof
- Cedar slatted roof
- Pressure treated cedar shingle roof
- Slate effect roof tiles - a choice of 4 colours available
- Integral Tidystore, 0.91m wide unless specified otherwise
- Integral open sided area
- Composite decking upgrade to open area
- Security pack including 6 pin lock and security screws
- Hook and band hinges
- High level security fixed windows in lieu of opening at no additional cost
- Georgian style windows
- Double glazing (excluding Georgian)
- Double door upgrade
- Heavy duty workbenches and shelves
- Guttering and downpipe in a choice of three colours
- A set of pressure treated floor bearers

SHEDS

MALVERN HEAVY DUTY REVERSE APEX

External Cladding

Sizes		Redwood			Pressure Treated Redwood		Thermowood		Cedar
w x d (m)	w x d (ft)	19mm Horizontal	23mm Barnstyle	19mm Vertical*	19mm Horizontal	23mm Barnstyle	19mm Horizontal	19mm Vertical	12mm Horizontal
2.44 x 1.83	8' x 6'	2,360	2,360	2,480	2,595	2,595	2,835	2,975	5,420
3.05 x 1.83	10' x 6'	2,995	2,995	3,145	3,295	3,295	3,595	3,775	6,525
3.66 x 1.83	12' x 6'	3,185	3,185	3,345	3,505	3,505	3,820	4,010	6,995
4.27 x 1.83	14' x 6'	3,745	3,745	3,930	4,120	4,120	4,495	4,720	7,565
4.88 x 1.83	16' x 6'	4,175	4,175	4,385	4,590	4,590	5,005	5,255	8,140
3.05 x 2.44	10' x 8'	3,550	3,550	3,730	3,900	3,900	4,255	4,470	7,565
3.66 x 2.44	12' x 8'	3,805	3,805	3,995	4,180	4,180	4,565	4,795	8,105
4.27 x 2.44	14' x 8'	4,275	4,275	4,490	4,705	4,705	5,130	5,385	8,930
4.88 x 2.44	16' x 8'	4,670	4,670	4,905	5,130	5,130	5,600	5,880	9,640
5.49 x 2.44	18' x 8'	5,080	5,080	5,335	5,585	5,585	6,095	6,405	10,370
6.10 x 2.44	20' x 8'	5,465	5,465	5,740	6,010	6,010	6,560	6,890	11,095
3.05 x 3.05	10' x 10'	4,240	4,240	4,450	4,665	4,665	5,090	5,345	8,650
3.66 x 3.05	12' x 10'	4,605	4,605	4,835	5,070	5,070	5,530	5,805	9,295
4.27 x 3.05	14' x 10'	5,205	5,205	5,465	5,720	5,720	6,245	6,560	10,245
4.88 x 3.05	16' x 10'	5,675	5,675	5,960	6,240	6,240	6,810	7,150	11,085
5.49 x 3.05	18' x 10'	6,165	6,165	6,475	6,785	6,785	7,400	7,770	11,850
6.10 x 3.05	20' x 10'	6,700	6,700	7,035	7,370	7,370	8,040	8,440	12,640
3.66 x 3.66	12' x 12'	5,110	5,110	5,365	5,625	5,625	6,130	6,440	10,250
4.27 x 3.66	14' x 12'	5,765	5,765	6,055	6,345	6,345	6,920	7,265	11,270
4.88 x 3.66	16' x 12'	6,275	6,275	6,590	6,900	6,900	7,530	7,905	12,155
5.49 x 3.66	18' x 12'	6,815	6,815	7,155	7,495	7,495	8,180	8,590	12,960
6.10 x 3.66	20' x 12'	7,435	7,435	7,805	8,180	8,180	8,920	9,370	13,940

FOR HIGH PITCH VERSION - ADD 10% TO BUILDING AND ANY ADDITIONAL ROOF OPTION

*Includes planed and sawn finishes

Additional Upgrades

Colour Painted Finish	Tongue & Groove Lining & Insulation	Roof Options						Floor Bearers	Installation
		Bitumen Felt Roof Tiles/ Metal Roof	Onduline Roof	Pressure Treated Slatted Roof	Cedar Slatted Roof	Cedar Shingle Roof	Slate Effect Tiled Roof		
1,705	1,760	645	655	730	1,395	1,870	1,870	130	200
1,930	2,070	800	825	885	1,755	2,330	2,330	140	245
2,130	2,385	975	1,000	1,060	2,115	2,780	2,780	145	265
2,380	2,645	1,115	1,140	1,235	2,450	3,230	3,230	150	285
2,640	2,925	1,295	1,320	1,420	2,780	3,695	3,695	160	320
2,190	2,455	1,015	1,040	1,060	2,145	2,770	2,770	160	335
2,410	2,745	1,205	1,235	1,235	2,530	3,325	3,325	180	360
2,615	3,080	1,385	1,415	1,440	2,945	3,860	3,860	220	410
2,820	3,400	1,555	1,590	1,690	3,340	4,410	4,410	240	455
3,045	3,700	1,805	1,840	1,930	3,775	4,945	4,945	265	500
3,275	4,000	1,985	2,025	2,035	4,205	5,485	5,485	290	555
2,515	2,825	1,200	1,230	1,235	2,480	3,240	3,240	220	510
2,685	3,150	1,420	1,450	1,475	3,010	3,825	3,825	240	590
2,900	3,665	1,645	1,685	1,690	3,305	4,455	4,455	265	670
3,125	3,830	1,880	1,930	1,945	3,825	5,080	5,080	290	740
3,450	4,115	2,120	2,160	2,180	4,305	5,700	5,700	315	820
3,710	4,365	2,335	2,390	2,415	4,760	6,325	6,325	345	900
2,950	3,665	1,620	1,660	1,690	3,305	4,440	4,440	275	630
3,185	3,875	1,940	1,975	1,975	3,855	5,050	5,050	300	710
3,450	4,285	2,200	2,245	2,270	4,355	5,775	5,775	345	795
3,710	4,645	2,440	2,485	2,615	4,865	6,490	6,490	370	875
4,005	4,985	2,705	2,760	2,900	5,430	7,205	7,205	395	945

FOR ADDITIONAL OPTIONS AND LAYOUT DRAWINGS, PLEASE SEE FOLLOWING PAGES

SHEDS

MALVERN

HEAVY DUTY REVERSE APEX

Additional Windows & Doors		Single Glazed			Double Glazed		
		Redwood	Pressure Treated	Cedar	Redwood	Pressure Treated	Cedar
	425mm Standard Shed Fixed Window	100	105	155	160	165	215
	660mm Standard Shed Fixed Window	120	125	180	240	245	300
	889mm Standard Shed Fixed Window	125	130	190	250	255	315
	889mm Standard Shed Opening Window	170	175	235	295	300	360
	425mm Georgian Shed Fixed Window	200	205	280	-	-	-
	660mm Georgian Shed Fixed Window	220	225	310	-	-	-
	889mm Georgian Shed Fixed Window	250	255	350	-	-	-
	889mm Georgian Shed Opening Window	295	300	395	-	-	-

Malvern Heavy Duty Door or Double Door in lieu		Redwood	Pressure Treated	Thermowood	Cedar
	685mm or 889mm Malvern Door	380	440	455	570

Further Options	Redwood	Pressure Treated	Thermowood	Cedar
1.83m Partition	300	360	370	710
2.44m Partition	425	490	510	980
3.05m Partition	630	730	755	1,360
3.66m Partition	800	910	960	1,710
Additional Tidy Store Depth	Redwood	Pressure Treated/ Barnstyle	Thermowood	Cedar
1.83m	265	315	320	705
2.44m	350	410	420	950
3.05m	440	515	530	1,230
3.66m	515	590	620	1,440

0.23m Wide Shelf	70	per running metre
0.38m Wide Shelf	90	per running metre
0.38m Wide Workbench	90	per running metre
0.61m Wide Workbench	110	per running metre
Composite Decking Upgrade	290	per square metre
Guttering per side	70	per running metre
Stable Door Conversion in lieu of standard	165	
Hook & Band Hinges	60	per door
Security Pack for Doors	220	

WINDOW AND DOOR CONFIGURATIONS

These layouts can be altered to suit your own individual requirements.



2.44m (8')



4.88m (16')



3.05m (10')




5.49m (18')



3.66m (12')



4.27m (14')



6.10m (20')

SHEDS

MALVERN

HEAVY DUTY APEX



10' x 8' Malvern Heavy Duty Apex



12' x 10' Malvern Heavy Duty Apex



8' x 10' Malvern Heavy Duty Apex

STANDARD FEATURES

- A choice of external timber claddings, which include redwood, thermowood and cedar.
(See glossary page 48 for further information)
- All ridge heights under 2.5m
- Heavy duty framework throughout
- Additional framework for extra rigidity and strength
- Heavy duty floor
- Pressure treated floor joists
- Tongue and groove timber roof and floor
- Polyester mineral felt – available in green, black or red
- Fully framed, ledged and braced single door
- 3 lever mortice lock
- 3 heavy duty hinges per door
- Security screws in hinges
- Single glazed 4mm toughened glass
- Black or chrome ironmongery - please specify at time of order
- Joinery made fixed and lockable opening windows
- High quality timber treatment applied throughout prior to delivery (excluding pressure treated)
- A wide range of sizes to choose from

OPTIONS

- Coloured painted finish – wide selection of colours
(see page 51)
- Black highlights – window frames and fascias painted black, no cost upgrade but must be specified on the order
- Tongue and groove timber lining plus insulation
- Internal partition walls
- Higher pitch roof
- Bitumen mineral roof felt tiles, available in green, red or black
- Polyester coated profile steel roof - a choice of six colours available
- Onduline roof
- Pressure treated slatted roof
- Cedar slatted roof
- Pressure treated cedar shingle roof
- Slate effect roof tiles - a choice of 4 colours available
- Integral Tidystore, 0.91m wide unless specified otherwise
- Integral open sided area
- Composite decking upgrade to open area
- Security pack including 6 pin lock and security screws
- Hook and band hinges
- High level security fixed windows in lieu of opening at no additional cost
- Georgian style windows
- Double glazing (excluding Georgian)
- Double door upgrade
- Heavy duty workbenches and shelves
- Guttering and downpipe in a choice of three colours
- A set of pressure treated floor bearers

SHEDS

MALVERN

HEAVY DUTY APEX

External Cladding

Sizes		Redwood			Pressure Treated Redwood		Thermowood		Cedar
d x w (m)	d x w (ft)	19mm Horizontal	23mm Barnstyle	19mm Vertical*	19mm Horizontal	23mm Barnstyle	19mm Horizontal	19mm Vertical	12mm Horizontal
1.83 x 1.22	6' x 4'	1,645	1,645	1,725	1,810	1,810	1,975	2,075	4,125
2.13 x 1.52	7' x 5'	2,030	2,030	2,130	2,240	2,240	2,440	2,560	4,915
1.83 x 1.83	6' x 6'	2,070	2,070	2,175	2,270	2,270	2,480	2,605	5,265
2.44 x 1.83	8' x 6'	2,480	2,480	2,605	2,730	2,730	2,975	3,125	5,605
3.05 x 1.83	10' x 6'	2,995	2,995	3,145	3,295	3,295	3,595	3,775	6,525
3.66 x 1.83	12' x 6'	3,310	3,310	3,475	3,640	3,640	3,970	4,170	7,190
2.44 x 2.44	8' x 8'	3,170	3,170	3,330	3,490	3,490	3,805	3,995	6,840
3.05 x 2.44	10' x 8'	3,550	3,550	3,730	3,900	3,900	4,255	4,470	7,565
3.66 x 2.44	12' x 8'	3,930	3,930	4,125	4,320	4,320	4,715	4,950	8,305
4.27 x 2.44	14' x 8'	4,400	4,400	4,620	4,840	4,840	5,285	5,550	9,120
4.88 x 2.44	16' x 8'	4,795	4,795	5,035	5,275	5,275	5,750	6,040	9,825
3.05 x 3.05	10' x 10'	4,240	4,240	4,450	4,665	4,665	5,090	5,345	8,650
3.66 x 3.05	12' x 10'	4,730	4,730	4,965	5,210	5,210	5,680	5,965	9,485
4.27 x 3.05	14' x 10'	5,325	5,325	5,590	5,860	5,860	6,385	6,705	10,430
4.88 x 3.05	16' x 10'	5,800	5,800	6,090	6,375	6,375	6,960	7,310	11,275
5.49 x 3.05	18' x 10'	6,290	6,290	6,605	6,920	6,920	7,545	7,920	12,040
3.66 x 3.66	12' x 12'	5,235	5,235	5,495	5,755	5,755	6,285	6,595	10,435
4.27 x 3.66	14' x 12'	5,885	5,885	6,180	6,480	6,480	7,065	7,420	11,460
4.88 x 3.66	16' x 12'	6,400	6,400	6,720	7,035	7,035	7,680	8,065	12,350
5.49 x 3.66	18' x 12'	6,940	6,940	7,285	7,635	7,635	8,325	8,740	13,150
6.10 x 3.66	20' x 12'	7,560	7,560	7,940	8,315	8,315	9,070	9,525	14,130

FOR HIGH PITCH VERSION - ADD 10% TO BUILDING AND ANY ADDITIONAL ROOF OPTION

*Includes planed and sawn finishes

Additional Upgrades

Colour Painted Finish	Tongue & Groove Lining & Insulation	Roof Options						Floor Bearers	Installation
		Bitumen Felt Roof Tiles/ Metal Roof	Onduline Roof	Pressure Treated Slatted Roof	Cedar Slatted Roof	Cedar Shingle Roof	Slate Effect Tiled Roof		
1,265	1,215	335	345	370	705	915	915	95	135
1,475	1,475	490	495	540	1,010	1,330	1,330	115	150
1,500	1,500	490	495	570	1,040	1,420	1,420	125	180
1,705	1,760	645	655	730	1,395	1,870	1,870	130	200
1,930	2,070	800	825	885	1,755	2,330	2,330	140	245
2,130	2,385	975	1,000	1,060	2,115	2,780	2,780	145	265
1,975	2,120	830	850	875	1,700	2,225	2,225	150	315
2,190	2,455	1,015	1,040	1,060	2,145	2,770	2,770	160	335
2,410	2,745	1,205	1,235	1,235	2,530	3,325	3,325	180	360
2,615	3,080	1,385	1,415	1,440	2,945	3,860	3,860	220	410
2,820	3,400	1,555	1,590	1,690	3,340	4,410	4,410	240	455
2,515	2,825	1,200	1,230	1,235	2,480	3,240	3,240	220	510
2,685	3,150	1,420	1,450	1,475	3,010	3,825	3,825	240	590
2,900	3,665	1,645	1,685	1,690	3,305	4,455	4,455	265	670
3,125	3,830	1,880	1,930	1,945	3,825	5,080	5,080	290	740
3,450	4,115	2,120	2,160	2,180	4,305	5,700	5,700	315	820
2,950	3,665	1,620	1,660	1,690	3,305	4,595	4,595	275	630
3,185	3,875	1,940	1,975	1,975	3,855	5,050	5,050	300	710
3,450	4,285	2,200	2,245	2,270	4,355	5,775	5,775	345	795
3,710	4,645	2,440	2,485	2,615	4,865	6,490	6,490	370	875
4,005	4,985	2,705	2,760	2,900	5,430	7,205	7,205	395	945

FOR ADDITIONAL OPTIONS AND LAYOUT DRAWINGS, PLEASE SEE FOLLOWING PAGES

SHEDS

MALVERN

HEAVY DUTY APEX

Additional Windows & Doors	Single Glazed			Double Glazed		
	Redwood	Pressure Treated	Cedar	Redwood	Pressure Treated	Cedar
 425mm Standard Shed Fixed Window	100	105	155	160	165	215
 660mm Standard Shed Fixed Window	120	125	180	240	245	300
 889mm Standard Shed Fixed Window	125	130	190	250	255	315
 889mm Standard Shed Opening Window	170	175	235	295	300	360
 425mm Georgian Shed Fixed Window	200	205	280	-	-	-
 660mm Georgian Shed Fixed Window	220	225	310	-	-	-
 889mm Georgian Shed Fixed Window	250	255	350	-	-	-
 889mm Georgian Shed Opening Window	295	300	395	-	-	-

Malvern Heavy Duty Door or Double Door in lieu	Redwood	Pressure Treated	Thermowood	Cedar
 685mm or 889mm Malvern Door	380	440	455	570


Further Options	Redwood	Pressure Treated	Thermowood	Cedar
1.83m Partition	300	360	370	710
2.44m Partition	425	490	510	980
3.05m Partition	630	730	755	1,360
3.66m Partition	800	910	960	1,710

Malvern Apex Depth	Additional 3' Logstore
1.22m	385
1.83m	495
2.44m	630
3.05m	765
3.66m	890
4.27m	1,005
4.88m	1,150
5.49m	1,295
6.10m	1,440


0.23m Wide Shelf	70	per running metre
0.38m Wide Shelf	90	per running metre
0.38m Wide Workbench	90	per running metre
0.61m Wide Workbench	110	per running metre
Composite Decking Upgrade	290	per square metre
Guttering per side	70	per running metre
Stable Door Conversion in lieu of standard	165	
Hook & Band Hinges	60	per door
Security Pack for Doors	220	

WINDOW CONFIGURATIONS


These layouts can be altered to suit your own individual requirements.




1.83m (6')



2.13m (7')




2.44m (8')




3.05m (10')




3.66m (12')




4.27m (14')



4.88m (16')



5.49m (18')



6.10m (20')

SHEDS

MALVERN HEAVY DUTY PENT



12' x 8' Malvern Heavy Duty Pent



10' x 6' Malvern Heavy Duty Pent

STANDARD FEATURES

- A choice of external timber claddings, which include redwood, thermowood and cedar.
(See glossary page 48 for further information)
- All ridge heights under 2.5m
- Heavy duty framework throughout
- Additional framework for extra rigidity and strength
- Heavy duty floor
- Pressure treated floor joists
- Tongue and groove timber roof and floor
- Polyester mineral felt – available in green, black or red
- Fully framed, ledged and braced single door
- 3 lever mortice lock
- 3 heavy duty hinges per door
- Security screws in hinges
- Single glazed 4mm toughened glass
- Black or chrome ironmongery - please specify at time of order
- Joinery made fixed and lockable opening windows
- High quality timber treatment applied throughout prior to delivery (excluding pressure treated)
- A wide range of sizes to choose from

OPTIONS

- Coloured painted finish – wide selection of colours
(see page 51)
- Black highlights – window frames and fascias painted black, no cost upgrade but must be specified on the order
- Tongue and groove timber lining plus insulation
- Internal partition walls
- EPDM rubber roof
- Integral Tidystore, 0.91m wide unless specified otherwise
- Integral open sided area
- Composite decking upgrade to open area
- Security pack including 6 pin lock and security screws
- Hook and band hinges
- High level security fixed windows in lieu of opening at no additional cost
- Georgian style windows
- Double glazing (excluding Georgian)
- Double door upgrade
- Heavy duty workbenches and shelves
- Guttering and downpipe in a choice of three colours
- A set of pressure treated floor bearers

SHEDS

MALVERN

HEAVY DUTY PENT

External Cladding

Sizes		Redwood			Pressure Treated Redwood		Thermowood		Cedar
d x w (m)	d x w (ft)	19mm Horizontal	23mm Barnstyle	19mm Vertical*	19mm Horizontal	23mm Barnstyle	19mm Horizontal	19mm Vertical	12mm Horizontal
1.83 x 1.22	6' x 4'	1,645	1,645	1,725	1,810	1,810	1,975	2,075	4,125
2.13 x 1.52	7' x 5'	2,030	2,030	2,130	2,240	2,240	2,440	2,560	4,915
2.44 x 1.83	8' x 6'	2,360	2,360	2,480	2,595	2,595	2,835	2,975	5,420
3.05 x 1.83	10' x 6'	2,995	2,995	3,145	3,295	3,295	3,595	3,775	6,525
3.66 x 1.83	12' x 6'	3,185	3,185	3,345	3,505	3,505	3,820	4,010	6,995
4.27 x 1.83	14' x 6'	3,745	3,745	3,930	4,120	4,120	4,495	4,720	7,565
4.88 x 1.83	16' x 6'	4,175	4,175	4,385	4,590	4,590	5,005	5,255	8,140
2.44 x 2.44	8' x 8'	3,045	3,045	3,195	3,350	3,350	3,650	3,835	6,655
3.05 x 2.44	10' x 8'	3,550	3,550	3,730	3,900	3,900	4,255	4,470	7,565
3.66 x 2.44	12' x 8'	3,805	3,805	3,995	4,180	4,180	4,565	4,795	8,105
4.27 x 2.44	14' x 8'	4,275	4,275	4,490	4,705	4,705	5,130	5,385	8,930
4.88 x 2.44	16' x 8'	4,670	4,670	4,905	5,130	5,130	5,600	5,880	9,640
5.49 x 2.44	18' x 8'	5,080	5,080	5,335	5,585	5,585	6,095	6,405	10,370
6.10 x 2.44	20' x 8'	5,465	5,465	5,740	6,010	6,010	6,560	6,890	11,095
3.05 x 3.05	10' x 10'	4,240	4,240	4,450	4,665	4,665	5,090	5,345	8,650
3.66 x 3.05	12' x 10'	4,605	4,605	4,835	5,070	5,070	5,530	5,805	9,295
4.27 x 3.05	14' x 10'	5,205	5,205	5,465	5,720	5,720	6,245	6,560	10,245
4.88 x 3.05	16' x 10'	5,675	5,675	5,960	6,240	6,240	6,810	7,150	11,085
5.49 x 3.05	18' x 10'	6,165	6,165	6,475	6,785	6,785	7,400	7,770	11,850
6.10 x 3.05	20' x 10'	6,700	6,700	7,035	7,370	7,370	8,040	8,440	12,640

*Includes planed and sawn finishes

Additional Upgrades

Colour Painted Finish	Tongue & Groove Lining & Insulation	EPDM Rubber Roof	Floor Bearers	Installation
1,265	1,215	200	95	135
1,475	1,475	280	115	150
1,705	1,760	390	130	200
1,930	2,070	480	140	245
2,130	2,385	570	145	265
2,380	2,645	670	150	285
2,640	2,925	765	160	320
1,975	2,120	515	150	315
2,190	2,455	645	160	335
2,410	2,745	765	180	360
2,615	3,080	890	220	410
2,820	3,400	1,025	240	455
3,045	3,700	1,145	265	500
3,275	4,000	1,275	290	555
2,515	2,825	800	220	510
2,685	3,150	965	240	590
2,900	3,665	1,120	265	670
3,125	3,830	1,275	290	740
3,450	4,115	1,445	315	820
3,710	4,365	1,605	345	900

FOR ADDITIONAL OPTIONS AND LAYOUT DRAWINGS, PLEASE SEE FOLLOWING PAGES

SHEDS

MALVERN

HEAVY DUTY PENT

Additional Windows & Doors		Single Glazed			Double Glazed		
		Redwood	Pressure Treated	Cedar	Redwood	Pressure Treated	Cedar
	425mm Standard Shed Fixed Window	100	105	155	160	165	215
	660mm Standard Shed Fixed Window	120	125	180	240	245	300
	889mm Standard Shed Fixed Window	125	130	190	250	255	315
	889mm Standard Shed Opening Window	170	175	235	295	300	360
	425mm Georgian Shed Fixed Window	200	205	280	-	-	-
	660mm Georgian Shed Fixed Window	220	225	310	-	-	-
	889mm Georgian Shed Fixed Window	250	255	350	-	-	-
	889mm Georgian Shed Opening Window	295	300	395	-	-	-

Malvern Heavy Duty Door or Double Door in lieu		Redwood	Pressure Treated	Thermowood	Cedar
	685mm or 889mm Malvern Door	380	440	455	570


Further Options	Redwood	Pressure Treated/ Barnstyle	Thermowood	Cedar
1.83m Partition	300	360	370	710
2.44m Partition	425	490	510	980
3.05m Partition	630	730	755	1,360

Malvern Tidystore Depth	Redwood	Pressure Treated/ Barnstyle	Thermowood	Cedar
1.83m Partition	265	315	320	705
2.44m Partition	350	410	420	950
3.05m Partition	440	515	530	1,230


0.23m Wide Shelf	70	per running metre
0.38m Wide Shelf	90	per running metre
0.38m Wide Workbench	90	per running metre
0.61m Wide Workbench	110	per running metre
Composite Decking Upgrade	290	per square metre
Guttering per side	70	per running metre
Stable Door Conversion in lieu of standard	165	
Hook & Band Hinges	60	per door
Security Pack for Doors	220	

WINDOW AND DOOR CONFIGURATIONS


These layouts can be altered to suit your own individual requirements.




1.83m (6')



2.13m (7')




2.44m (8')




3.05m (10')



3.66m (12')



4.27m (14')



4.88m (16')




5.49m (18')



6.10m (20')

SHEDS

MALVERN HEAVY DUTY COMBINATION



12' x 8' Malvern Heavy Duty Combination



12' x 8' Malvern Heavy Duty Combination



10' x 8' Malvern Heavy Duty Combination

STANDARD FEATURES

- A choice of external timber claddings, which include redwood, thermowood and cedar.
(See glossary page 48 for further information)
- All ridge heights under 2.5m
- Heavy duty framework throughout
- Additional framework for extra rigidity and strength
- Heavy duty floor
- Pressure treated floor joists
- Tongue and groove timber roof and floor
- Polyester mineral felt – available in green, black or red
- Fully framed, ledged and braced single door
- 3 lever mortice lock
- 3 heavy duty hinges per door
- Security screws in hinges
- Single glazed 4mm toughened glass
- Black or chrome ironmongery - please specify at time of order
- Joinery made fixed and lockable opening windows
- High quality timber treatment applied throughout prior to delivery (excluding pressure treated)
- A wide range of sizes to choose from

OPTIONS

- Coloured painted finish – wide selection of colours
(see page 51)
- Black highlights – window frames and fascias painted black, no cost upgrade but must be specified on the order
- Tongue and groove timber lining plus insulation
- Internal partition walls
- Higher pitch roof
- Bitumen mineral roof felt tiles, available in green, red or black
- Polyester coated profile steel roof - a choice of six colours available
- Onduline roof
- Pressure treated slatted roof
- Cedar slatted roof
- Pressure treated cedar shingle roof
- Slate effect roof tiles - a choice of 4 colours available
- Integral Tidystore, 0.91m wide unless specified otherwise
- Integral open sided area
- Composite decking upgrade to open area
- Security pack including 6 pin lock and security screws
- Hook and band hinges
- High level security fixed windows in lieu of opening at no additional cost
- Georgian style windows
- Double glazing (excluding Georgian)
- Double door upgrade
- Heavy duty workbenches and shelves
- Guttering and downpipe in a choice of three colours
- A set of pressure treated floor bearers

SHEDS

MALVERN HEAVY DUTY COMBINATION

External Cladding

Sizes		Redwood			Pressure Treated Redwood		Thermowood		Cedar
d x w (m)	d x w (ft)	19mm Horizontal	23mm Barnstyle	19mm Vertical*	19mm Horizontal	23mm Barnstyle	19mm Horizontal	19mm Vertical	12mm Horizontal
2.44 x 1.83	8' x 6'	2,730	2,730	2,865	3,005	3,005	3,275	3,440	6,230
3.05 x 1.83	10' x 6'	3,370	3,370	3,540	3,705	3,705	4,045	4,245	7,335
3.66 x 1.83	12' x 6'	3,560	3,560	3,740	3,920	3,920	4,270	4,485	7,810
4.27 x 1.83	14' x 6'	4,120	4,120	4,325	4,535	4,535	4,945	5,190	8,380
4.88 x 1.83	16' x 6'	4,550	4,550	4,780	5,000	5,000	5,460	5,730	8,950
3.05 x 2.44	10' x 8'	4,005	4,005	4,205	4,410	4,410	4,810	5,050	8,625
3.66 x 2.44	12' x 8'	4,260	4,260	4,475	4,690	4,690	5,115	5,370	9,160
4.27 x 2.44	14' x 8'	4,735	4,735	4,970	5,215	5,215	5,685	5,970	9,980
4.88 x 2.44	16' x 8'	5,125	5,125	5,380	5,640	5,640	6,155	6,460	10,690
5.49 x 2.44	18' x 8'	5,540	5,540	5,815	6,090	6,090	6,650	6,980	11,420
6.10 x 2.44	20' x 8'	5,930	5,930	6,225	6,525	6,525	7,115	7,470	12,150
3.05 x 3.05	10' x 10'	4,790	4,790	5,030	5,265	5,265	5,745	6,035	9,980
3.66 x 3.05	12' x 10'	5,155	5,155	5,415	5,670	5,670	6,185	6,490	10,635
4.27 x 3.05	14' x 10'	5,745	5,745	6,030	6,320	6,320	6,900	7,240	11,575
4.88 x 3.05	16' x 10'	6,220	6,220	6,530	6,840	6,840	7,465	7,840	12,420
5.49 x 3.05	18' x 10'	6,710	6,710	7,045	7,385	7,385	8,055	8,455	13,185
6.10 x 3.05	20' x 10'	7,245	7,245	7,605	7,970	7,970	8,695	9,130	13,975
3.66 x 3.66	12' x 12'	5,730	5,730	6,015	6,305	6,305	6,875	7,220	11,795
4.27 x 3.66	14' x 12'	6,385	6,385	6,705	7,025	7,025	7,665	8,050	12,815
4.88 x 3.66	16' x 12'	6,895	6,895	7,240	7,585	7,585	8,275	8,685	13,700
5.49 x 3.66	18' x 12'	7,435	7,435	7,805	8,180	8,180	8,920	9,370	14,510
6.10 x 3.66	20' x 12'	8,060	8,060	8,465	8,860	8,860	9,670	10,155	15,490

FOR HIGH PITCH VERSION - ADD 10% TO BUILDING AND ANY ADDITIONAL ROOF OPTION

*Includes planed and sawn finishes

Additional Upgrades

Colour Painted Finish	Tongue & Groove Lining & Insulation	Roof Options						Floor Bearers	Installation
		Bitumen Felt Roof Tiles/ Metal Roof	Onduline Roof	Pressure Treated Slatted Roof	Cedar Slatted Roof	Cedar Shingle Roof	Slate Effect Tiled Roof		
1,705	1,235	645	655	730	1,395	1,870	1,870	130	200
1,930	1,500	800	825	885	1,755	2,330	2,330	140	245
2,130	1,760	975	1,000	1,060	2,115	2,780	2,780	145	265
2,380	2,070	1,115	1,140	1,235	2,450	3,230	3,230	150	285
2,640	2,385	1,295	1,320	1,420	2,780	3,695	3,695	160	320
2,190	1,830	1,015	1,040	1,060	2,145	2,770	2,770	160	335
2,410	2,120	1,205	1,235	1,235	2,530	3,325	3,325	180	360
2,615	2,455	1,385	1,415	1,440	2,945	3,860	3,860	220	410
2,820	2,745	1,555	1,590	1,690	3,340	4,410	4,410	240	455
3,045	3,080	1,805	1,840	1,930	3,775	4,945	4,945	265	500
3,275	3,400	1,985	2,025	2,035	4,205	5,485	5,485	290	555
2,515	2,155	1,200	1,230	1,235	2,480	3,240	3,240	220	510
2,685	2,480	1,420	1,450	1,475	3,010	3,825	3,825	240	590
2,900	2,825	1,645	1,685	1,690	3,305	4,455	4,455	265	670
3,125	3,150	1,880	1,930	1,945	3,825	5,080	5,080	290	740
3,450	3,665	2,120	2,160	2,180	4,305	5,700	5,700	315	820
3,710	3,830	2,335	2,390	2,415	4,760	6,325	6,325	345	900
2,950	2,900	1,620	1,660	1,690	3,305	4,440	4,440	275	630
3,185	3,240	1,940	1,975	1,975	3,855	5,050	5,050	300	710
3,450	3,665	2,200	2,245	2,270	4,355	5,775	5,775	345	795
3,710	3,875	2,440	2,485	2,615	4,865	6,490	6,490	370	875
4,005	4,285	2,705	2,760	2,900	5,430	7,205	7,205	395	945

FOR ADDITIONAL OPTIONS AND LAYOUT DRAWINGS, PLEASE SEE FOLLOWING PAGES

SHEDS

MALVERN

HEAVY DUTY COMBINATION

	Additional Windows & Doors	Single Glazed			Double Glazed		
		Redwood	Pressure Treated	Cedar	Redwood	Pressure Treated	Cedar
	425mm Standard Shed Fixed Window	100	105	155	160	165	215
	660mm Standard Shed Fixed Window	120	125	180	240	245	300
	889mm Standard Shed Fixed Window	125	130	190	250	255	315
	889mm Standard Shed Opening Window	170	175	235	295	300	360
	425mm Georgian Shed Fixed Window	200	205	280	-	-	-
	660mm Georgian Shed Fixed Window	220	225	310	-	-	-
	889mm Georgian Shed Fixed Window	250	255	350	-	-	-
	889mm Georgian Shed Opening Window	295	300	395	-	-	-

Malvern Heavy Duty Door or Double Door in lieu		Redwood	Pressure Treated	Thermowood	Cedar
	685mm or 889mm Malvern Door	380	440	455	570

Further Options	Redwood	Pressure Treated	Thermowood	Cedar		
1.83m Partition	300	360	370	710	0.23m High Level Staging	80 per running metre
2.44m Partition	425	490	510	980	0.68m Staging	115 per running metre
3.05m Partition	630	730	755	1,360	0.23m Wide Shelf	70 per running metre
3.66m Partition	800	910	960	1,710	0.38m Wide Shelf	90 per running metre
					0.38m Wide Workbench	90 per running metre
					0.61m Wide Workbench	110 per running metre
					Composite Decking Upgrade	290 per square metre
					Guttering per side	70 per running metre
					Stable Door Conversion in lieu of standard	165
					Hook & Band Hinges	60 per door
					Security Pack for Doors	220

WINDOW CONFIGURATIONS


These layouts can be altered to suit your own individual requirements.



2.44m (8')




4.88m (16')



3.05m (10')




5.49m (18')



3.66m (12')




4.27m (14')



6.10m (20')

SHEDS

MALVERN **HEAVY DUTY CORNER**



8' x 8' Malvern Heavy Duty Corner

STANDARD FEATURES

- A choice of external timber claddings, which include redwood, thermowood and cedar. (See glossary page 48 for further information)
- Heavy Duty Framework throughout
- All ridge heights under 2.5m
- 0.15m roof overhang to front and two sides
- Heavy duty floor
- Black or chrome ironmongery - please specify at time of order
- Joinery made lockable opening windows
- Fully framed ledged and braced single door
- 3 lever mortice lock
- 3 heavy duty hinges to the door
- Single glazed 4mm toughened glass
- Tongue and groove timber roof and floor
- Polyester mineral felt – available in green, black or red
- High quality timber treatment applied throughout prior to delivery (excluding pressure treated)
- A wide range of sizes to choose from

OPTIONS

- Coloured painted finish – a wide selection of colours (see page 51)
- Black highlights – window frames and fascias painted black, no cost upgrade but must be specified on the order
- EPDM rubber roof
- Tongue and groove timber lining and insulation
- Georgian style windows
- Window in door, plain or Georgian
- High level security fixed windows in lieu of opening at no additional cost
- Double glazing (except Georgian)
- Hook and band hinges
- Security pack including 6 pin lock and security screws
- Workbenches and shelves
- A set of pressure treated floor bearers

SHEDS

MALVERN HEAVY DUTY CORNER

External Cladding

Sizes		Redwood			Pressure Treated Redwood		Thermowood		Cedar
d x w (m)	d x w (ft)	19mm Horizontal	23mm Barnstyle	19mm Vertical*	19mm Horizontal	23mm Barnstyle	19mm Horizontal	19mm Vertical	12mm Shiplap
2.13 x 2.13	7' x 7'	2,980	2,980	3,130	3,275	3,275	3,575	3,750	6,590
2.44 x 2.44	8' x 8'	3,550	3,550	3,730	3,900	3,900	4,255	4,470	7,565
2.74 x 2.74	9' x 9'	4,165	4,165	4,375	4,580	4,580	4,995	5,245	8,525
3.05 x 3.05	10' x 10'	4,730	4,730	4,965	5,210	5,210	5,680	5,965	9,485

*Includes planed and sawn finishes

Additional Windows		Single Glazed			Double Glazed		
		Redwood	Pressure Treated	Cedar	Redwood	Pressure Treated	Cedar
	425mm Standard Shed Fixed Window	100	105	155	160	165	215
	660mm Standard Shed Fixed Window	120	125	180	240	245	300
	889mm Standard Shed Fixed Window	125	130	190	250	255	315
	889mm Standard Shed Opening Window	170	175	235	295	300	360
	425mm Georgian Shed Fixed Window	200	205	280	-	-	-
	660mm Georgian Shed Fixed Window	220	225	310	-	-	-
	889mm Georgian Shed Fixed Window	250	255	350	-	-	-
	889mm Georgian Shed Opening Window	295	300	395	-	-	-

Additional Upgrades				
Colour Painted Finish	Tongue & Groove Lining & Insulation	EPDM Rubber Roof	Floor Bearers	Installation
1,715	1,810	395	140	205
1,975	2,120	515	145	315
2,220	2,455	650	175	415
2,515	2,825	800	210	510

Stable Door Conversion in lieu of standard	165	
Hook & Band Hinges	60	per door
Security Pack for Doors	220	

SHEDS

MALVERN POTTING SHED



8' x 6' Potting Shed



8' x 6' Potting Shed Glass to Ground



8' x 8' Potting Shed Glass to Ground

STANDARD FEATURES

- A choice of external timber claddings, which include redwood, thermowood and cedar.
(See glossary page 48 for further information)
- Heavy duty framework throughout
- Heavy duty floor
- Tongue and groove timber roof and floor
- Polyester mineral felt - available in green, black or red
- Fully framed, ledged and braced door
- 3 heavy duty hinges per door
- One opening vent window to the front
- Side windows
- 4mm toughened glass
- Black or chrome ironmongery - please specify at time of order
- Front roof overhang
- High quality timber treatment applied throughout prior to delivery (excluding pressure treated)
- Six sizes to choose from

OPTIONS

- Coloured painted finish - wide selection of colours
(see page 51)
- Stable door
- Heavy duty staging under windows
- Glass to ground glazing
- Guttering and downpipe in a choice of three colours
- A set of pressure treated floor bearers

SHEDS

MALVERN POTTING SHED

External Cladding

Sizes		Redwood		Pressure Treated Redwood	Thermowood		Cedar
d x w (m)	d x w (ft)	19mm Horizontal	19mm Vertical*	19mm Horizontal	19mm Horizontal	19mm Vertical	12mm Horizontal
1.83 x 1.83	6' x 6'	3,450	3,020	3,305	3,450	3,620	4,225
2.44 x 1.83	8' x 6'	3,750	3,280	3,615	3,750	3,940	4,570
2.13 x 2.13	7' x 7'	3,885	3,400	3,735	3,885	4,080	4,745
2.44 x 2.13	8' x 7'	4,215	3,685	4,010	4,215	4,425	5,090
2.44 x 2.44	8' x 8'	4,545	3,980	4,335	4,545	4,770	5,405
3.05 x 2.44	10' x 8'	5,430	4,745	5,205	5,430	5,700	6,360

*Includes planed and sawn finishes

Additional Windows & Doors		Redwood	Pressure Treated	Cedar
	889mm Standard Shed Opening Window	170	175	235

	Redwood	Pressure Treated	Cedar
0.64m (25") Wide Staging per running metre	115	125	210


0.23m Wide Shelf	70	per running metre
0.38m Wide Shelf	90	per running metre
0.38m Wide Workbench	90	per running metre
0.61m Wide Workbench	110	per running metre
Stable Door Conversion in lieu of standard	165	

Additional Upgrades

Colour Painted Finish	Glass to Ground Glazing		Floor Bearers	Installation
	Redwood/ Pressure Treated	Cedar		
1,500	455	1,000	130	225
1,705	485	1,050	140	240
1,715	470	1,025	145	240
1,825	485	1,050	145	255
1,975	485	1,050	150	270
2,190	615	1,370	160	410

External Heights (m)

Building Depth (m)	Front Height	Rear Height
All sizes	2.29	1.86
Single Door	0.89	



SHEDS

VICTORIAN GREENHOUSE



10' 3" x 7' 9" Victorian



10' 3" x 7' 9" Victorian



10' 3" x 7' 9" Victorian



10' 3" x 7' 9" Victorian

Constructed using clear grade western red cedar (*Thuja Plcicata*) throughout, providing natural durability and resistance to rot. Handcrafted for over 50 years by our experienced joiners in Worcestershire, using time-honoured techniques creating precision mortise and tenon joints to give our Victorian greenhouse strength and integrity.

The Victorian greenhouse features cedar clad board panels all round, offering greater heat insulation and increased greenhouse strength. Other key features are the solid brass ironmongery, automatic roof vents, lockable door, guttering and downpipes to both sides. Staging and shelving can be added along with one of our many durable exterior paint finishes.

STANDARD FEATURES

- Cedar timber throughout
- Boarded base panels all round
- Automatic roof vents
- Lockable single door opening in hinged on right
- Solid brass or chrome ironmongery - please specify at time of order
- Guttering and downpipes to both sides
- Secured to base
- High quality timber treatment applied throughout prior to delivery
- A wide range of sizes to choose from


OPTIONS

- Comprehensive paint system to protect and decorate available in a variety of colours
- Coloured painted finish - wide selection of colours (see page 51)
- Staging
- Shelving
- Door can be hinged on the left or made to open outwards

Size d x w (m)	Size d x w (ft)	Price	Coloured Painted Finish	533mm Staging	305mm Shelving	Installation	Roof Vents/ Side Vents
1.60 x 1.93	5'3" x 6'4"	5,665	1,145	365	235	445	2/2
2.39 x 1.93	7'10" x 6'4"	6,520	1,705	540	365	480	2/2
3.12 x 1.93	10'3" x 6'4"	7,950	1,930	695	440	555	4/4
3.89 x 1.93	12'9" x 6'4"	9,215	2,130	855	545	620	4/4
4.65 x 1.93	15'3" x 6'4"	9,960	2,640	1,025	625	700	6/6

Size d x w (m)	Size d x w (ft)	Price	Coloured Painted Finish	635mm Staging	305mm Shelving	Installation	Roof Vents/ Side Vents
1.60 x 2.36	5'3" x 7'9"	6,675	1,705	370	235	480	2/2
2.39 x 2.36	7'10" x 7'9"	7,915	1,975	550	365	555	2/2
3.12 x 2.36	10'3" x 7'9"	9,035	2,255	705	440	630	4/4
3.89 x 2.36	12'9" x 7'9"	10,925	2,410	870	545	725	4/4
4.65 x 2.36	15'3" x 7'9"	11,980	2,820	1,045	625	830	6/6

External Heights (m)		
Building Width (m)	Ridge Height	Eaves Height
1.93	2.63	1.58
2.36	2.83	1.58



SHEDS

BEWDLEY



8' x 8' Bewdley Apex with double doors



8' x 6' Bewdley Apex



8' x 6' Bewdley Pent

STANDARD FEATURES

BEWDLEY APEX

- 13mm redwood cladding
- Heavy duty framework throughout
- All ridge heights under 2.5m
- Single door
- Black ironmongery
- Opening window(s) (quantity dependant on size and model)
- Framed ledged and braced door
- Lockable rimlock and handle door catch
- 3 door hinges per door for extra strength
- Turn button top and bottom of door
- Tongue and groove timber roof and floor
- Polyester mineral felt - available in green, black or red
- Toughened glass
- High quality timber treatment applied throughout prior to delivery
- A wide range of sizes to choose from

BEWDLEY PENT

- 13mm redwood cladding
- Heavy duty framework throughout
- All ridge heights under 2.5m
- Single door
- Black ironmongery
- Opening window(s) (quantity dependant on size and model)
- Framed ledged and braced door
- Lockable rimlock and handle door catch
- 3 door hinges per door for extra strength
- Turn button top and bottom of door
- Tongue and groove timber roof and floor
- Polyester mineral felt - available in green, black or red
- Toughened glass
- High quality timber treatment applied throughout prior to delivery
- A wide range of sizes to choose from

BEWDLEY CORNER

- 13mm redwood cladding
- Heavy duty framework throughout
- All ridge heights under 2.5m
- Single door
- Black ironmongery
- Opening window either side of door
- Framed ledged and braced door
- Lockable rimlock and handle door catch
- 3 door hinges per door for extra strength
- Turn button top and bottom of door
- Tongue and groove timber roof and floor
- Polyester mineral felt - available in green, black or red
- Toughened glass
- High quality timber treatment applied throughout prior to delivery
- A wide range of sizes to choose from

OPTIONS

BEWDLEY APEX

- Double doors on 8' wide models
- Additional fixed and opening windows
- Workbenches and shelves
- A set of pressure treated floor bearers

BEWDLEY PENT

- Additional fixed and opening windows
- Pent sheds have four possible door positions: Left of front, right of front, left hand end and right hand end
- Workbenches and shelves
- A set of pressure treated floor bearers

BEWDLEY CORNER

- Additional fixed and opening windows
- Workbenches and shelves
- A set of pressure treated floor bearers

SHEDS

BEWDLEY

BEWDLEY APEX

Size d x w (m)	Size d x w (ft)	13mm Tongue & Groove Redwood	Floor Bearers	Installation	No. of Windows
1.22 x 1.22	4' x 4'	720	90	115	1
1.83 x 1.22	6' x 4'	895	95	135	1
2.44 x 1.22	8' x 4'	1,040	115	150	1
2.13 x 1.52	7' x 5'	1,050	115	150	1
1.83 x 1.83	6' x 6'	1,080	125	150	1
2.44 x 1.83	8' x 6'	1,200	130	185	1
3.05 x 1.83	10' x 6'	1,510	140	225	2
2.44 x 2.44	8' x 8'	1,575	150	230	1
3.05 x 2.44	10' x 8'	1,945	160	270	2
3.66 x 2.44	12' x 8'	2,155	180	325	2
Extra Fixed Window		50	0.23m Wide Shelf	70	per running metre
Extra Opening Window		95	0.38m Wide Shelf	90	per running metre
Double door upgrade on 8' wide Apex model		150	0.38m Wide Workbench	90	per running metre
			0.61m Wide Workbench	110	per running metre

BEWDLEY PENT


Size d x w (m)	Size d x w (ft)	13mm Tongue & Groove Redwood	Floor Bearers	Installation	No. of Windows	
					Door in front	Door in end
1.22 x 1.22	4' x 4'	770	90	115	-	1
1.83 x 1.22	6' x 4'	970	95	135	1	1
2.44 x 1.22	8' x 4'	1,120	115	150	1	1
2.13 x 1.52	7' x 5'	1,130	115	150	1	1
1.83 x 1.83	6' x 6'	1,140	125	150	1	1
2.44 x 1.83	8' x 6'	1,260	130	185	1	1
3.05 x 1.83	10' x 6'	1,610	140	225	1	2
2.44 x 2.44	8' x 8'	1,660	150	230	1	1
3.05 x 2.44	10' x 8'	2,055	160	270	1	2
3.66 x 2.44	12' x 8'	2,335	180	325	1	2
Extra Fixed Window		50	0.23m Wide Shelf	70	per running metre	
Extra Opening Window		95	0.38m Wide Shelf	90	per running metre	
			0.38m Wide Workbench	90	per running metre	
			0.61m Wide Workbench	110	per running metre	

BEWDLEY CORNER

Size d x w (m)	Size d x w (ft)	13mm Tongue & Groove Redwood	Floor Bearers	Installation
2.13 x 2.13	7' x 7'	1,695	145	185
2.44 x 2.44	8' x 8'	1,975	150	230
Extra Fixed Window		50	0.23m Wide Shelf	70 per running metre
Extra Opening Window		95	0.38m Wide Shelf	90 per running metre
			0.38m Wide Workbench	90 per running metre
			0.61m Wide Workbench	110 per running metre


BEWDLEY APEX

External Heights (m)		
Building Width (m)	Ridge Height	Eaves Height
1.22	2.05	1.73
1.52	2.12	1.73
1.83	2.19	1.73
2.44	2.31	1.73
Single Door	1.22 wide	0.66 wide
	Other Widths	0.89 wide
Optional Double Doors		1.50 wide




BEWDLEY PENT

External Heights (m)		
Building Width (m)	Front Height	Rear Height
1.22	2.12	1.86
1.52	2.12	1.86
1.83	2.12	1.86
2.44	2.12	1.86
Single Door	1.83 wide	0.66 wide
	Other widths	0.89 wide



BEWDLEY CORNER

External Heights (m)		
Building Width (m)	Front Height	Rear Height
All sizes	2.29	1.86
Single Door		0.89 wide




SHEDS

MALVERN


HEAVY DUTY REVERSED APEX

External Heights (m)				Internal Heights (Unlined) (m)			
Building Depth (m)	Ridge		Eaves	Building Depth (m)	Ridge		Eaves
	Low	High			Low	High	
1.83	2.33	2.51	2.04	1.83	2.20	2.43	2.02
2.44	2.41	2.65	2.04	2.44	2.29	2.57	2.02
3.05	2.43	2.79	2.04	3.05	2.29	2.71	2.02
3.66	2.49	2.94	2.04	3.66	2.35	2.85	2.02




HEAVY DUTY APEX

External Heights (m)				Internal Heights (Unlined) (m)			
Building Depth (m)	Ridge		Eaves	Building Depth (m)	Ridge		Eaves
	Low	High			Low	High	
1.22	2.25	2.37	2.04	1.22	2.12	2.34	2.02
1.52	2.25	2.48	2.04	1.52	2.16	2.40	2.02
1.83	2.33	2.51	2.04	1.83	2.20	2.43	2.02
2.44	2.41	2.65	2.04	2.44	2.29	2.57	2.02
3.05	2.43	2.79	2.04	3.05	2.29	2.71	2.02
3.66	2.49	2.94	2.04	3.66	2.35	2.85	2.02




HEAVY DUTY PENT

External Heights (m)			Internal Heights (Unlined) (m)		
Building Depth (m)	Front Height	Rear Height	Building Depth (m)	Front Height	Rear Height
1.83	2.22	2.02	1.83	2.03	1.87
2.44	2.41	2.02	2.44	2.03	1.87
3.05	2.43	2.04	3.05	2.03	1.87
Single Door	0.89		Single Door	0.89	




HEAVY DUTY COMBINATION

External Heights (m)				Internal Heights (Unlined) (m)			
Building Depth (m)	Ridge		Eaves	Building Depth (m)	Ridge		Eaves
	Low	High			Low	High	
1.83	2.33	2.51	2.04	1.83	2.20	2.43	2.02
2.44	2.41	2.65	2.04	2.44	2.29	2.57	2.02
3.05	2.43	2.79	2.04	3.05	2.29	2.71	2.02
3.66	2.49	2.94	2.04	3.66	2.35	2.85	2.02



HEAVY DUTY CORNER

External Heights (m)			Internal Heights (Unlined) (m)		
Building Depth (m)	Front Height	Rear Height	Building Depth (m)	Front Height	Rear Height
All sizes	2.29	1.86	All sizes	2.06	1.90
Single Door	0.89		Single Door	0.89	



GLOSSARY OF TERMS

EXTERNAL CLADDING

We offer a choice of timber claddings, both vertical and horizontal styles are available. These include:-

REDWOOD / PRESSURE TREATED REDWOOD

Our FSC certified, kiln dried, slow grown Scandinavian redwood is from Sweden's northern sawmills. Being slow grown in colder climates means our redwood is durable, stable, sustainable and hardwearing, making it a reliable and long lasting timber option for your building. Pressure treated redwood has additional protection to resist rot, decay and insects.

THERMOWOOD

Thermowood is a heat treated redwood that has been thermally modified using specialised kilning techniques. Thermal modification is a natural, toxin free process that changes the cell structure of the wood by heating it to over 200°C. This removes moisture and resin resulting in a cladding that is stable, durable and resistant to decay. The process also minimises the risk of warping and shrinkage. This process makes Thermowood an ideal cladding when a painted finish is preferred.

CEDAR

Rich in colour and naturally durable, Canadian Western Red Cedar is the natural choice for cladding. With its warm tones, fine grain and incredible longevity, it brings timeless beauty to any building.

COLOURED PAINTED FINISH

A comprehensive paint system is applied prior to the building leaving the factory. The paint system comprises of an initial undercoat and a further top coat of your chosen colour.

HIGHER PITCHED ROOF

For those that require extra internal height.

TONGUE & GROOVE LINING AND INSULATION

Building is internally lined with foil back bubble insulation and covered with redwood tongue and groove matchboard.

BITUMEN FELT TILES

Roof is covered with tile effect heavy duty felt tiles.

METAL ROOFS

Polyester coated profiled steel sheeting. Available in six colour options.

BEWDLLEY DOOR OPENINGS (W X H)	
1.22m (4') wide Apex	0.66m x 1.63m
1.52m (5') wide Apex	0.89m x 1.63m
1.83m (6') wide Pent	0.66m x 1.75m
All other Single Doors	0.89m x 1.75m
Double Doors on 2.44m (8') Apex	1.50m x 1.75m

VICTORIAN DOOR OPENINGS (W X H)	
Single Door	0.76m x 1.98m

WALL THICKNESS	
Redwood Standard Cladding	13mm
Cedar Cladding	12mm
Barnstyle Cladding	8-23mm
Redwood & Pressure Treated Heavy Duty Cladding	19mm
Framing	45mm
Tongue and Groove Lining	12mm
Skirting	12mm

SLATTED ROOF

An aesthetic roof made with featheredged pressure treated redwood or Western Red cedar boards to enhance the appearance of your building and provide added protection to the roofing felt beneath.

CEDAR SHINGLE ROOF

Western Red cedar shingles fixed to pressure treated joists to enhance the appearance of your building and provide added protection to the roofing felt beneath.

EPDM RUBBER ROOF

A maintenance free synthetic rubber membrane covering the roof as an alternative to roofing felt.

SLATE EFFECT ROOF TILE

Slate effect roof tile is a synthetic roof tile which emulates the appearance of natural slates and has a long life span with no maintenance.

GUTTERING

Guttering is available in a choice of three colours.

INTEGRAL OPEN SIDED AREA

Malvern Sheds (excluding Corner) can be divided into rooms with an open space decking area. Timber decking is used for this open area, with composite decking available as an upgrade.

COMPOSITE DECKING

A high density, heavy duty and weather resistant wood composite.

HEAVY DUTY FLOOR UPGRADE

The heavy duty floor is a 19mm Heavy Duty Redwood and fitted as standard throughout excluding the Bewdley sheds and Victorian.

BLACK OR CHROME IRONMONGERY

Substitute ironmongery for either black or chrome to suit your requirements.

A SET OF FLOOR BEARERS

Floor Bearers are 45 x 45mm (2" x 2") pressure treated lengths of timber which run in an opposite direction to the floor joists making a crisscross formation, allowing air circulation and ventilation to your garden building, taking away direct contact from the base and helps prevent damp from attacking the timbers.

MALVERN DOOR OPENINGS (W X H)	
1.22m (4') wide Apex	0.68m x 1.75m
1.52m (5') wide Apex	0.89m x 1.75m
All other Apex Doors	0.89m x 1.85m
Apex Narrow Double Doors	1.37m x 1.85m
Apex Wide Double Doors	1.77m x 1.85m
Reverse Apex, Pent and Potting Shed	0.89m x 1.75m
Reverse Apex and Pent Narrow Double Doors	1.37m x 1.75m
Reverse Apex and Pent Wide Double Doors	1.77m x 1.75m

FLOOR THICKNESS	
Standard Floor	13mm
Heavy Duty Floor	19mm
Pressure Treated Joists	45mm

Important Points

to note

All of our Sheds, Workshops, Potting Sheds and Greenhouses come with a comprehensive guarantee from a company that has been manufacturing and installing buildings for over 50 years.

Our buildings have a 10 year structural guarantee which includes rot and decay. All other workmanship and materials are guaranteed for a minimum of 2 years. Full details are provided in our guarantee guidelines available on request. Glass is only guaranteed for a period of three days from the date of delivery.

All timber garden structures require annual inspection and treatment where required. We recommend all spray painted buildings are maintained on an annual basis, inspect the painted areas on the building, checking for any areas where the paint finish may be starting to deteriorate over time, peeling or flaking and repaint where necessary. A full guide of maintenance guidelines are available on request.

All base work is the responsibility of the customer, as is the safe securing of the building once installed, excluding cedar victorian. We require a level solid base, either paving slabs, decking or concrete upon which to install your building. In the event of a base failure, it is the customers responsibility to accept delivery of the building safely and store appropriately.

Please allow as much room as possible around the building for our fitters to work during installation, a minimum of 450mm. If this is not possible please contact the office to discuss.

Our installers will need clear access to carry building sections from the vehicle to your prepared base, with no height restrictions or tight, sharp corners to negotiate.

Our installers cannot lift sections over 1.22m in height or over buildings such as garages. If the only access is through the house, a straight run is required and many sections will not pass through doorways. Please advise us in advance if there are any difficulties regarding access.

Always make allowance for any roof overhang when buildings have to go into confined spaces.

With the exception of pressure treated, which is pressure treated throughout, all of our buildings are treated with a good quality preservative on the inside as well as the outside prior to leaving the factory. Please refer to our maintenance guidelines for ongoing protection advice.

Redwood and thermowood cladded buildings have redwood windows. Pressure treated buildings have pressure treated redwood windows. Cedar cladded buildings have cedar windows. All buildings have redwood floors, roofs and framing.

Bewdley ironmongery is black. Malvern ironmongery is black or chrome as standard and this must be specified on order. Victorian Greenhouse ironmongery is brass or chrome but must be specified at time of ordering.

All building dimensions shown in this brochure are approximate, based on floor sizes.

All timber used in the construction of our buildings originates from sustainable forests.

As it is our policy to continually improve products, methods and materials, we reserve the right to change specifications from time to time, we will not make any significant variations without your agreement.

All images and descriptions are for illustration purposes only and are not always standard specification.

All building sizes are approximate and for guidelines only. All timber measurements, if stated, are finished sizes only i.e. after machining. Please note that finished sizes can vary by plus or minus 1mm.

We strongly advise that you visit one of our showrooms to view the range of buildings and finishes.

PAINT & FINISH OPTIONS



The swatches are for illustration purposes only as the printing process may not allow an accurate colour representation of paint and stain based finishes. We advise when selecting a final colour choice to request a painted timber sample prior to doing so or to visit your local showroom.


*Please note painted MDF colour options are only available in these colours.

Visit a Showsite



Visit one of our showsites to explore a range of **premium garden buildings** and **luxury retreats**.

SHOWSITES NATIONWIDE



“Quality garden
buildings, handmade
in Worcestershire for
over 50 years”


Other ranges in our collection



Cottage Range of
Summerhouses



Garden Studios



Garden Rooms & Offices

QUALITY GARDEN ROOMS & BUILDINGS
Manufactured and installed by The Malvern Collection Ltd.

All prices are in (£) Pound Sterling and include VAT and delivery to mainland England, Wales and Scotland* up to the Caledonian Canal.

*Restrictions may apply.